Contract Number/N61339-73-C-0150 INTERSERVICE PROCEDURES FOR INSTRUCTIONAL SYSTEMS DEVELOPMENT: TECHNICAL LEVEL WORKSHOP. Robert K. Branson Gail T./Rayner John P./Furman AD A 02389 Final Pert. 25 Jun 73 - 31 Dec 75 J. Lamarr/Cox Center for Educational Technology Florida State University Tallahassee, Florida 32306 (Revised/December 1975 APR 30 1976 Prepared for: The Interservice Committee for Instructional Systems Development Worth Scanland, Chairman Naval Education and Training Command Pensacola, Florida 32508 The President U.S. Army Combat Arms Training Board Fort Benning, Georgia 31905

INTRODUCTION

This Workbook has been designed for use in conjunction with the Interservice Instructional Systems Development Procedures, audio-visual materials, and a limited number of Workshop Enablers or instructors. It is designed to be primarily self-instructional with the addition of feedback at key points in the process. You can improve your own performance and products by following some easy-to-say but hard-to-do rules.

- 1. Don't ask for critique or review until you are ready to receive it. Finish the work first.
- 2. Prepare yourself to listen carefully and take notes on the suggestions offered by the reviewer.
- 3. Encourage the Enabler to go into more detail and ask clarifying questions if you do not understand.
- 4. Let the Enabler know that you appreciate frankness and honesty. Feedback can only have real value if it is frank and honest.
- 5. If you outrank the person from whom you are asking a review or critique, you must be extra careful to let him know that he can provide a critique of your work or product that will not be a criticism of your position!!! Cultivating honest reactions and frankness in subordinates is one of the more difficult tasks the manager faces. It may well be one of the few characteristics which separates the outstanding managers from others.

When you have done the Workbook Exercise clearly and completely, take it to an Enabler for scoring and critique. Some of the Blocks have more than one Exercise---be sure to do only one at a time and get feedback.

HOW TO USE THIS WORKBOOK

The format will require that you follow the step-by-step instructions in the exercises for the particular block. These instructions will generally require that you:

- 1. Read the referenced materials.
- 2. Observe, read, or listen to auxiliary materials such as films, inputs from previous blocks, audio tapes, etc.
- 3. Perform the first exercise.
- 4. Check your work with the Workshop Enabler.

INSTRUCTIONS

THE WAR

The Interservice Procedures for Instructional Systems Development (IPISD)
Model has five Phases and each phase has severe components called Blocks:

PHASE I: ANALYZE - Five Blocks

PHASE II: DESIGN - Four Blocks


PHASE III: DEVELOP - Five Blocks

PHASE IV: IMPLEMENT - Two Blocks

PHASE V: CONTROL - Three Blocks

The IFISD Model is displayed graphically below. Notice that each block retains the Roman numeral of its phase along with a sequential Arabic numeral (e.g., Block I.2).

IPISD MODEL



A

さつ 単位を見るとくてきませるとのできるとう

In the Manuals, each block is separated into three <u>Sections</u>. Take a moment to look at the Table of Contents for Phase I: ANALYZE. The first section gives the <u>Introduction</u>, the second presents the <u>Procedures</u>, and the third lists the <u>Outputs</u> of the block. Each of these sections is divided further by adding a decimal point and the appropriate sequential Arabic numeral to the section number. Each <u>Subsection</u> may have additional subdivisions designated by adding another decimal point and the appropriate Arabic numeral. The following display illustrates the numbering system:

IV . 1 . 2 . 1

Phase Block Section Subsection

Within each block, only the section and subsection numerals are used, therefore these numerals will be the only ones you will encounter during the major portion of your readings. The phase and block numerals are presented on the initial page of each block along with a display of the total Model. The block that represents the portion of the Model you are about to enter is outlined with a heavy black line in the display.

In order to reference any particular section or subsection in the Model, you need to know the phase and block numbers in addition to the section and subsection numbers.

For example, just knowing that the material you are interested in is located in Section/Subsection 2.1 does not give you enough information to find what you need. Knowing the block number narrows the field of inquiry, but is still not enough. However, if you know the phase number in addition to the above, you would probably have little difficulty in locating the material you are interested in.

An index is provided at the end of each volume. The index refers you to the phase and page number of the items referenced. To make sure you can use the numbering system in the IPISD Manuals, here are some examples

III.2.2.1 stands for Phase III, Block 2, Section 2, Subsection 1.

Likewise, I.1.3.1 stands for Phase I, Block 1, Section 3, Subsection 1.

Your turn. Write down the page number in the manuals where each of the following sections are found.

a) I.3.1.0, #_____; b) I.2.2.1.2, # _____; c) I.2.2.1.1.8, #____

The answers to these questions can be found at the top of the following page.

Answers: a) 157; b) 130; c) 128

If you had trouble locating the appropriate page numbers, see the Workshop Enabler for assistance. The enabler is the instructor for the workshop, his role will be discussed at greater length later in this introduction.

Now that you can distinguish between <u>phases</u>, <u>blocks</u>, and <u>sections</u>, terms that will be used throughout your discussions and the readings, take a look at how this workshop is organized. For purposes of conducting the workshop, the related blocks have been divided into twelve <u>Modules</u> for the workshop.

Module 1: Block I.1 Block I.2	Module 5: Block II.1 Block II.2	Module 9: Block III.3 Block III.4
Module 2: Block 1.3	Module 6: Block II.3 Block II.4	Module 10: Block III.5
Module 3: Block I.4	Module 7: Block III.1	Module 11: Block IV.1 Block IV.2
Module 4: Block I.5	Module 8: Block III.2	Module 12: Block V.1 Block V.2 Block V.3

Pretest

The pretest consists of a knowledge inventory of the materials contained in each module. A score of 160 is required for individuals who are responsible, in their actual job. for the performance of tasks associated with the particular phases and/or blocks covered by the test.

If an individual takes the tests and exercises for Phases I-III because of his current assignment, he would then be required to read the tests, exercises, and Executive Summary for Phases IV and V.

Posttest

The posttest is the same as the pretest and the criteria for passing are also the same. You will be given a posttest after you have completed each reading assignment in the manuals.

Exercises

The exercises are performance tests which measure your ability to perform the tasks associated with each module.

In some instances, space for your responses to the exercises is provided, either following the exercise or on the page immediately after the exercise. Writing paper will be provided for those exercises where you are asked to produce your own product.

Procedures

At the beginning of each module of instruction, you will be given a pretest which covers the information contained in that module. One of two things may happen based on your performance on the pretest.

- 1) If you reach your criterion on the pretest, you are then given the module exercise(s).
- 2) Otherwise, you are directed to the appropriate readings for the module.

Since this is a decision point in the procedures, there are two possible paths for you to take.

In the first case, after you have passed the pretest* you are given the module exercise(s). Upon completion of each exercise or set of exercises, your products and/or results are taken, by you, to the Workshop Enabler. The exercises have been marked with the following symbol: /

When you reach this symbol, you are to have all of your work up to that point checked by the Enabler. You are to work from symbol to symbol. Sometimes you will need to have your products checked after every exercise; sometimes, after a group of exercises.

^{*}You would not be expected to pass a pretest unless your training and experience is directly relevant to the content in a given module. If you pass many pretests, you may not be a member of the target population for which this instruction is intended.

The Enabler will judge you work and may give you a "go." If you receive a "go," you proceed to the next exercise, continuing until you receive a "go" on the final exercise.

Checking your products at the appropriate point is critical as it will ensure that what you are doing is on the right track. If you do not receive a "go," you and the Enabler will discuss the most appropriate plan for successfully completing the exercise. You will be able to correct any errors or problems while they are still in the early stage, rather than waiting for them to become serious. The Enabler may ask you to read the materials, or rework the exercise, or a comination of both.

This orings us to the second case, in which you did not pass the pretest. At this point, you are directed to the appropriate readings for the module. At the completion of the readings you are given the posttest. If you pass the posttest, you will receive the performance exercise(s) for the module and proceed in the manner stated above. However, if you do not pass the posttest you will be referred to those sections of the readings which seemed to cause you the most trouble. With the assistance of the Enabler, iron cut any of the problems you have encountered. After this you will move on to the exercise(s) for that module.


SMEs and Materials

Throughout the workshop, you will be required to complete numerous practical exercises using your own materials. If you were to bring materials related to the job of a rifleman, it would be <u>essential</u> for you to be a subject matter expert in that job. In order to successfully complete the practical exercises, you must be a subject matter expert in the content of your materials. In addition, the examples you select for development should be simple. The use of materials related to extremely complex or technical jobs will only make your learning experience more difficult.

A flowchart (diagram) of the workshop procedures is presented on the next page. It is suggested that you take a brief look at this diagram. You are now ready to begin Module One of the Technical Workshop. "Good Luck" and please feel free to make any comments concerning the procedures, the materials, or anything you see which might hav. an impact on the materials. Suggestions for revisions or changes should be sent to:

ISD Project Center for Educational Technology 1A Tully Building Florida State University Tallahassee, FL 32306

The state of the state of



INTERSERVICE
PROCEDURES FOR
INSTRUCTIONAL
SYSTEMS
DEVELOPMENT



MODULE ONE

WORKSHOP LEARNING OBJECTIVES

- 1. From a provided list of tasks, select the properly written task statements.
- 2. Write a job definition for a familiar job.
- List the duties that make up a familiar job.
- 4. Considering the practical constraints of a given command, develop a complete data collection plan for the analysis of a specific job and the selection of tasks for training. This plan should include as a minimum:
 - a. How data will be collected. Rationale for these decisions.
 - b. In what order data will be collected (i.e., what data must be gathered before other data). What is the rationale for these decisions?
 - c. What evaluation criteria will be used to select tasks for training. What is the rationale for these decisions?
 - d. From what sources the data will be gathered.
 - e. What data collection forms will be used.
- 5. Write several examples of "duties" cf a familiar job.
- 6. Match task statements with the duties o' a familiar job (duties listed above).
- 7. For a series of task statements, generate representative summary data simulating the results of data collected for the selection of tasks for training.
- 8. Select task, for training, using a task list and appropriate supportive date.
- 9. Select tacks for training on the pasis of summarized data resulting from a task payintory survey. Give a rationale for the decisions.
- 10. Document the conditions, cues, standards and elements for tasks selected for training.

WORKSHOP INSTRUCTIONAL MATERIALS

The readings for this module are Blocks I.1 and I.2, in the ISD Manuals. If there is any part that you do not understand, ask the Workshop Enabler for assistance.

WORKSHOP EXERCISES

 Following is a list of tasks that are part of the job of Military Po ice. Six of the task statements are correctly written and five are not. Identify the correctly written tasks.

Mark at scans of domanstrations	correct	Incorrect
work at scene of demonstrations.		
Process juvenile offenders.		
Subdue subject resisting arrest.		
Prevent accidents.		
Remove vehicles that obstruct traffic.		
Fill out missing person report forms.		
Follow safety rules.		
Take appropriate action while on duty.		
Issue traffic citations.	***	
Fill out burglary report forms.	**************************************	
Understand how to fill out arrest reports.		
	Subdue subject resisting arrest. Prevent accidents. Remove vehicles that obstruct traffic. Fill out missing person report forms. Follow safety rules. Take appropriate action while on duty. Issue traffic citations. Fill out burglary report forms.	Work at scene of demonstrations. Process juvenile offenders. Subdue subject resisting arrest. Prevent accidents. Remove vehicles that obstruct traffic. Fill out missing person report forms. Follow safety rules. Take appropriate action while on duty. Issue traffic citations. Fill out burglary report forms.

2. From the list of tasks on the next page, select 7 tasks for training new recruits. Although all information included in the chart should be considered, your command considers consequences of inadequate performance the most important criterion. Place the letter T next to the tasks you select for training, in the left-hand column marked "T".

3. During the workshop you will analyze a job, design and develop instruction for a small portion of this job, and evaluate the instruction to determine its effectiveness.

At this point you should:

- a. Select a simple job. You should be very familiar with this job and know how it is performed or be reasonably expert at performing it. Do not select a job function with which you are not familiar.
- b. List the major duties included in the job you have selected. $_{f 1}\!\!\!/$
- 4. Assume your supervisor has assigned you the responsibility for job analysis for the job you selected in Exercise 3. Also assume that a current task list is not available. Before you conduct the job analysis you will need to: (1) prepare a data collection plan and (2) establish criteria for selecting tasks for training.

Insofar as practical, suit the plan to your understanding of your present command. You may have to make some assumptions about the requirements of your command. For example, are you likely to have reasonable time and resources for conducting the job analysis or must you operate on an extremely tight schedule and budget? Be sure to document or record any assumptions you make. Remember that you are writing a plan so that you, your supervisor, and others will know exactly what you are going to do. Your plan must be sufficiently detailed so that your supervisor can either approve the plan or tell you what you must do differently.

Your plan should, as a minimum, include:

- a. What data and information you need to collect.
- b. In what order you will collect the data and what methods you will use to collect the various data. Be sure to give the reasons for your decisions.
- c. Evaluation criteria to be used to select tasks for training.
- d. Sources for the various data; that is, from whom you will collect the data. Be reasonably specific here. "From a representative sample of the population," is not sufficient.
- e. What data collection forms will be used. Either sketch the forms or reference them if they already exist.
- f. How the task list will be validated. \checkmark

(NOTE: Since this is a long exercise, you may wish to have the Enabler check each part as you complete it.)

5. For the job selected in Exercise 3:

List 8 of the tasks that make up the duties of this job. Do not document the conditions, cues, standards, or elements unless necessary to make clear to the user (in this case the Workshop Enabler) what the tasks are. Later you will develop tests and instruction for some of these tasks; therefore, you should list tasks with which you are reasonably expert.

- 6. In Exercise 4, your data collection plan included collecting data for selecting tasks for training. Assume you now have collected this data. Summarize the data upon which selection of tasks for training will be based, for the 8 tasks listed in Exercise 5. Since you do not have the real data, make the summary data look the way you think the real data would look. (NOTE: The Enabler may make some changes to these data. What you get back from him will represent the "real" data.) Your summarized data might look similar to the form shown in Figure I.15, page 142; Figure I.16, page 150; or Appendices C and D, pages 99-104.
- 7. Assume that your supervisor informs you that resources are available for training only 4 out of the 8 tasks. Based on this constraint and on the summarized data from Exercise 6, recommend tasks for training. Give the criteria you will use to select tasks for training and the rationale for your final recommendations. (NOTE: The Workshop Enabler may not accept your recommendations. The final selection of tasks for training may be negotiated by you and the Enabler.)
- 8. The Enabler will assist you in choosing one of the tasks selected for training. (!ater, you will actually develop or select instruction for this task.) For this exercise, document the conditions, cues, standards, and elements for the chosen task on the attached Job Data Worksheet.
- 9. Why are tasks selected for training? 1

	Princesofter and angles		1	TN-M1-6	
	PAGE NO				*
(Module 1, Exercise 8)		-	STANDARDS		
JOB DATA WORKSHEET (N	" SOO	TEVE!	INITIATING CUES		e v
80f	des designation was the second	4, 200	CONDITIONS		
on training along a front proper defends a contract of the first proper defends the contract of the contract o			TASK, ELEMENTS, J.P.M.		•
	OB TITLE_	UTY/CODE.	TEM		

是是是,我们是是是是不是是是是是是是是是是是是是是是,我们们的一个,我们们们的一个,我们们们们的一个,我们们们们们们的一个,我们们们们们们们们们们们们们们们们们

INTERSERVICE PROCEDURES FOR INSTRUCTIONAL SYSTEMS DEVELOPMENT



MODULE TWO

WORKSHOP LEARNING OBJECTIVES

- 1. State the differences that generally exist between tasks and their corresponding JPMs.
- 2. Construct JPMs for tasks. Each JPM should contain:
 - a. The required test performance
 - b. Test conditions
 - c. Test cues
 - d. Test standards
 - e. Equipment and facility requirements
 - f. Administrator's instructions
- 3. List the reasons why instruction is based on JPMs rather than upon actual tasks.
- 4. Define the term "JPM."

WORKSHOP INSTRUCTIONAL MATERIALS

Read Block 1.3 in the ISD Manuals. If there is any part that you do not understand, ask the Workshop Enabler for assistance.

WORKSHOP EXERCISES

- 1. Construct JPMs for the tasks listed on the three attached Job Data Worksheets. In cases where the JPM you write and the task differ, give the rationale for the difference. Prepare test administrator's directions only for the Wheel Vehicle task. The test administrator's directions should include:
 - a. Test objective
 - b. Conditions
 - 1) Equipment required
 - 2) Environment
 - 3) Layout of test area

- c. Standards
- d. Test administration procedures
- e. Instructions to examinee
- f. Checklist 1/
- Explain why instruction is based on the JPMs rather than on actual tasks.
- 3. Construct a JPM for the task selected for further development in Exercise 8 of Module 1. You may use the space left of the Job Data Worksheet from Exercise 8, Module 1, or ask an Enabler for additional forms. The JPM should include:
 - a. The required test performance
 - b. Test conditions
 - c. Test cues
 - d. Test standards
 - e. Equipment and facility requirements
 - f. Scoring instructions 1/
- 4. Why are draft JPMs given tryouts?
- 5. How do process scales differ from product scales? $_{f 1}/$

JOB DATA WORKSHEET

							•	TW-M2-3		schooling 14 1754 is in
PAGE NO.	NOTES								4.\ \&\$	is the late and the second and second production of the second producti
D0A E1-E3 DATE	STANDARDS	Sufficient dimensions to construct object properly placed							,	· * * * * * * * * * * * * * * * * * * *
DOS LEVEL	INITIATING CUES	Supervisor requested								Additional to the second secon
Illustrator	CORDITIONS	Standard issue drafting Supervisor requested equipment, T-square								The state of the s
	TASK, ELEMENTS, J.P.M.	TASK: Dimension Drawings of Mechanical Objects	ELEMENTS: 1. Select the measurements that need to be ulimensioned on each view. 2. Dimension the views.	JPM:	-				S)	
OB TITLE	TEM					 , <u>-</u> ,	<u></u>		5	

THE RESERVE OF THE PROPERTY OF

₹. 4.

NOTES DOS (Survival for all combat DOS) PAGE NO. DATE Find enough food and STANDARDS nater to survive. E1-E7 LEVEL Hunger and thirst and no usual sources of food and water. INITIATING CUES Separated from military or civilian sources of Aly climatic area of the world. ELEMENTS:
A. Select Edible Plants hostile territory.
I. Avoid non-edible CONDITIONS plants with a bitter grains having black spurs in the place lakes, rivers, and a. plants with milkey sand dune hollows Find Potable Water of normal grain Sources of water bases of cliffs dry stream beds environment (only 2 TASK, ELLYMENTS, or soapy taste simplify exercise. Survive in hostile elements, used to melted snow solar still 1.9.1 b. mushroomsc. grains hav cis terns springs s treams plants seeds rain Spng de₩ o UTY/CODE DB TITLE CODE ITEM

TW-M2-4

Land Congress of the Control of the State of the Control of the Co

oppositions of the property of the contract property of the contract of the co

and the second second			TW-M2-5
combat DOS) PAGE NO. ?		NOTES	
ombat D	DATE		•
postSurvival for all c		STANDARDS	
S)soa -	LEVEL_E1-E7	Transferred Bridge Brid	
essad din din ga panera di mana a da		INITIATING CUES	
	n bancete - us manerament august a		
	ARRIA E VINIA DE MA MA MANAGEMENTO PRINCIPADA DE COMPANSA PARAGEMENTO DE COMPANSA DE COMPANSA DE COMPANSA DE C	CONDITIONS	4 h
e di chia ga demperim di ser pregimento di serio del mente	All and the first own of the first own own of the first own of the first own of the first own of the first own	Ġ	· · · · · · · · · · · · · · · · · · ·
		TASK, ELEMENTS, J.P.M.	
OB TITLE	UTY/CODE	ITEM	

THE PROPERTY OF THE PROPERTY O

TW-M2-6 NOTES PAGE NO. DATE Shaking and wobbling stops STANFARIOS E1-E3 XXA Soa LEVEL Vehicle wheel wobbles and shakes INITIATING CUES jack, general mechanics tool kit, ½" square drive tongue wrench, TRR 9-2320-218-20) Army road or motor pool conditions with equipment carried in ½ ton truck (one ton hydraulio CONDITIONS Replace cotter pin Tighten lock nut on lifting eye loosening the flange Select tongue wrench Adjust malfunctioning wheel bearing on ½ ton B TITLEWheel Vehicle Mechanic Tighten flange nut finger tight Remove lifting eye Fighten flange nut Loosen lock nut on Remove cotter pin Lower vehicle to Release tongue by TASK, ELEMENTS, Raise vehicle Position jack to 30 lb.-ft. ifting eye J. P. M. from wheel ground tongue ELEMENTS: 1. Positiv 2. Raise v 3. Loosen truck SE. : :: 12. ..65. 6 <u>.</u> 4 UTY/CODE TEN

The same of the sa

10. 2			NOTES						TW-M	2-7	, ,
PAGE NO. 2	DATE		2		-	 	 	 •	rational distribution specific distribution of the specific distribution o		***
VXX	The state of the s	- 11	STANDARDS								
JOB DATA WORKSHEET	LEVEL E1-E3		INITIATING CUES								
			CONDITIONS								
Wheel Vehicle Mechanic (con't)			TASK, ELEMENTS, J.P.M.	JPM (con't):							
- Table - Tabl	DB TITLE -		CODE	7_	4.					- · · · · ·	

INTERSERVICE PROCEDURES FOR INSTRUCTIONAL SYSTEMS DEVELOPMENT



MODULE THREE

WORKSHOP LEARNING OBJECTIVES

- 1. Examine reviews of existing courses and determine if the courses should be selected for instruction for a given set of tasks.
- 2. Provide a rationale for analyzing a job before analyzing existing courses or vice versa.
- 3. List the information that would be required to analyze existing instruction for a specified job.
- 4. Describe the course of action that should follow the decision that an existing course appears to contain suitable content and is based on a recent job analysis.

WORKSHOP INSTRUCTIONAL MATERIALS.

Read Block I.4 in the ISD Manuals. If there is any part that you do not understand, ask the Workshop Enabler for assistance.

WORKSHOP EXERCISES

- 1. Attached are two JPMs and five reviews of existing instruction. Look at each review sheet and the JPM(s) to which it applies (noted at the top of each review sheet), to determine if you would select the existing instruction for use. You are not judging the JPMs, just deciding if the instruction reviewed matches the JPM. Factors you may consider include title, contents, data, developer, existence of a job analysis, task selection, existence/suitability of JPMs, and general availability of necessary information on which to base a decision. State your reasons for selection or rejection.
- 2. Ordinarily, which should you do first, conduct a job analysis or analyze the development documentation for existing instruction? Why?
- 3. If you analyzed an existing course that supposedly taught the job that you wished to teach, and you determined that the course was based on a professional, recent job analysis, what is the next action you should take before accepting the job analysis as suitable for your needs?

4. What four items in the collection and review of documentation of existing instruction should be evaluated and found acceptable before accepting the instruction for your use? Why?

W. Proposition of the Party of

JOB DATA WUNKSHEET

では、「「「「「「「「」」」」というでは、 Andread words of the control of the contr

OB TITLE WE CODE CODE Star Star Star Star Star Star Star Star	JOB DATA WORKSHEE! Wheel Vehicle Mechanic AGE NO. 1	LEVEL E1-E3 DATE	TASK, ELE'AENTS, CONDITIONS INITIATING CUES STANDARDS NOTES	: Troubleshoot 1 ton truck; LVCT; Supervisor directs you The tests must be pertormed and correct to determine the cause rormed and correct to determine the cause rormed and correct diagnoses made in each of starting problems case. All safety rules must be followed.	Perform a starter tage test and amperate equipment or injury to equipment or injury to personnel.	eck condition of battery.	Electrolyte at proper level. Batteries fully charged.	Complete visual inspection of starting system.	Examine starter tarminal studs, battery terminal and engine ground strap for looseness. Grasp starter cable and connections with starter in operation to check for sensation of heat heat.	Prepare Low Voltage dircuit Tester (LVCT) for use.	Draw LVCT from supply/tosl room. Check LVCT support equipment for completeness. Position LVCT in well ventilated area where test leads will reach batteries.	Perform starter voltage test.	Connect LVCT to vehicle batteries as shown in Vehicle Organizational Maintenance Manual. Voltmeter should Operate starter with ignition off. of 18.5 volts.	
	2	ODE	TASK, ELE'AEN	TASK: Troublesh	- w.a	Che	a. Electrolyt b. Batteries		a. Examine st b. Grasp star heat.		a. Draw LVCT b. Check LVCT c. Position L		a. Connect LV b. Operate st	

OB TITLE	Wheel Vehicle Mechanic	v		XXA	PAGE NO. 2
DUTY/CODE	DE.		LEVEL.	E1-E3 D	DATE
ITEM CODE	TASK, ELEMENTS, J.P.M.	COMDITIONS	INITIA'TING CUES	STANDARDS	NOTES
	5. Perform starter amperage	age draw test.			
	a. Disconnect wattery ground b. Prepare LVCT for external	strap (cable) shunt use.	at negative battery terminal	<u>:</u>	
	1) Open external shu 2) Connect shunt ins polarity correct.	shunt. instrument (light) leads ct.	to tester external shunt terminals keeping	terminals keeping	JPM 4
	c. Connect shunt heav	Connect shunt heavy cables to starter circuit	.it.		(con
	1) Connect red cab 2) Connect black c	 Connect red cable to ground cable. Connect black cable to battery negative terminal 	terminal.		<u>'t)</u>
	d. Operate starter a n amperes.	starter and observe LVCT ammeter i	ammeter indication. Amperage should not	ald not exceed 40 ·	When engine is at operating temperature, if amperage exceeds 40 amperes the starter is defective or excessive engine friction is
	B. Check the battery ground cable and battery for continuity.	und cable and battery $oldsymbol{t}^{lpha}$	oattery cable	Without damage to equipment or injury to personnel.	indicated.
	1. Connect LVCT between	Connect LVCT between battery ground terminal	and starter frame.		T y
	a. Connect tester end	tester ends of volumeter test leads	to voltmeter binding	posts keeping polarity	V-M3-
	<pre>b. Connect opposite (the starter frame.</pre>	Connect opposite (probe) ends of <cltme.er the starter frame.</cltme.er 	test leads between battery ground <u>post</u> and	ery ground <u>post</u> and	4
<u> </u>					
i e j i					

٠. ﴿}

%. %

. .

ure sella exi	TASK, ELEMENTS. CONDITIONS INITIATING CUES STANDARDS Move voltmeter range selector switch to the 5D-volt position and operate starter with ignition switch off. a. If voltmeter shows low or no reading, move selector switch to 20-volt position and arread the meter with starter in operation. b. If low or no reading, move selector switch to the 10-volt position and retest. c. Move selector switch to 1-volt position if there is low or no reading in the 10-volt position. d. Locate and correct malfunction or defect, should reading be over 0;1-volt. e. Retest circuit to make sure malfunction is corrected. Connect LVCT to perform battery to battery cable test. a. Position voitmeter range selector switch to 50-olt position. b. Connect tester ends of voltmeter test leads to voltmeter binding posts on LVCT keeping polarity correct. c. Turn voltmeter range selector switch to 50-olt position. d. Touch meter probe ends of test leads to battery posts as shown in test 4, fig. 2-18, polarity correct. d. Touch meter probe ends of test leads to battery off and read meter; if low on reading, turn voltmeter range selector switch down range (50 to 10 to 10 to 1) no no reading, turn voltmeter by the meter at each position. e. If reading over 0.1-volt exists, clean connections and examine battery cable for corrected. (eaten away) strands. Replace battery cable if defective. f. Retest circuit to make sure malfunction is corrected.
	Dosition. d. Locate and correct malfunction or defect, should reading be over 0,1-volt. e. Retest circuit to make sure malfunction is corrected. Connect LVCT to perform battery to battery caple test. a. Position voitmeter range selector switch to off position. b. Connect tester ends of voltmeter test leads to voltmeter binding posts on LVCT keeping polarity correct. c. Turn voltmeter range selector switch to 50-colt position. d. Touch meter probe ends of test leads to battery posts as shown in test 4, fig. 2-18, The 9-2320-218-20. TM 9-2320-218-20. Operate starter with ignition switch off and read meter; if low on no reading, turn voltmeter range selector switch down range (50 to 20 to 10 to 1) reat the meter at each position. e. If reading over 0.1-volt exists, clean connections and examine battery cable for corrected. f. Retest circuit to make sure malfunction is corrected.

PAGE NO. 3

SOO

JOB DATA WORKSHEET

CPM 4 (con't)
TITLE Wheel Vehicle Mechanic

CODE	TASK, ELEMENTS, J.P.M.	CONDITIONS	INITIATING CUES	STANDARIA	NOTES
<u> </u>	TASK: Determine anti- freeze protection of a cooling system using the Optical Antifreeze Battery Tester.	k ton truck, Optical Antifreeze battery Tester, TB 750-651, in any weather, inside or out.	Directions from supervisor to determine antifreeze protection.	All of the steps must be performed in order and recommenda- tion (6) must be	
<u>, , , , , , , , , , , , , , , , , , , </u>	Prepare tester for use (same as the Se sure cooling system is cooled coolent escaping.	e (same as for testing battery electrolyte). n is cooled sufficiently so that radiator ca	Bttery electrolyte). (Db so that radiator cap can	not test here.) be removed without	
m	Use tester antifreeze the tester measuring w	pump to transfer a few window.	drops of coolant from the	vehicle radiator to	
4.	Point the tester toward light and read t is indicated by a line on scale aividing	d light and read the sc: on scale aividing light	the scale on the right side. A	Antifreaze protection	
က်		tection to that prescribed in TB	bed in TB 750-651 and/or local	local SOP.	
<u>.</u>	Recommend further action if necessary.	on if necessary.		~~.	
7.	Clean tester with clear tap water	r tap water and dry:			

JOB DATA ORKSHEET

Ğ.

JPM 6 JOB TITLE Wheel Vehicle Mechanic

The Court of the same of the s

Consider for JPMs 4 & 6

REVIEW SHEET FOR EXISTING INSTRUCTION #1

utnor: Headquarters, Department of the Arm	<u> </u>
olume and Mumber: not given	Date: Sept. 8, 1971
ublisher: Department of the Army	
ny Other Identifying Info.: TM 9-2320-218	-10_ Official Document?: Yes
edium: print	والمعارضة
elivery System: print	
eveloped by ISD Method?: Yes	No <u>X</u>
c' Analysis Data:	
Front End Analysis	
Job Analysis	
Done within the past 5 years? Yes	the control of the co
Any system changes? Yes-general changes	in doctrine incorporated
What were the sources? Not enough infor	mation given to determine
Can you generalize this situation to yo	our situation? Yes, same
information on electrical system	
Is the data difficult to locate? Yes	
Any other comments?	

	data used to select tasks based on the same geographic in, skill levels, etc.? Appears to be
Was tas	k selection based on the same constraints? Unsure
Job Per	formance Measures
Can you	review all JPMs? Attach list. No list available
بالمعار المعارضينية	
What pa	rts fatch the objectives? <u>See above</u>
~~~~	
Any oth	per comments?
•	
DECISION:	Accept:
	Accept Partially:
	Reject:
	Reconsider at Block III.3:

### *TM 9-2320-218-10

TECHNICAL MANUAL HEADQLARTERS
DEPARTMENT OF THE ARMY
No. 9-232C-218-10 WASHINGTON, D.C. 8 September 1971

## **OPERATOR'S MANUAL**

TRUCK, UTILITY: ¼ TON, 4 x 4, M151 (2320–542–4783), M151A1 (2320–763–1092), M151A2 (2320–177–9258)

TRUCK, UTILITY: ¼ TON, 4 x 4, M151A1C (2320–763–1091), M825 (2320–177–9257), 106MM RECOILLESS RIFLE

TRUCK, AMBULANCE, FRONTLINE: ¼ TON, 4 x 4, M718 (2310–782–6056), M718A1 (2320–177–9256)

Pa	ra <b>gra</b> ph	Page
CHAPTER 1. INTRODUCTION		
Section I. General		
Purpose and scope	1-1	1-1
Maintenance forms and records.	1-2	1-2
Recommending improvements	1-3	1-2
II. Description and data		
Description of vehicles	1-4	1-2
Tabulated data	1-5	1-7

•This manual supersedes TM 9-2320-218-10, 8 March 1968, including all changes.

Far	egraph	Page		Paragraph	Page
CHAPTER 2. OPERATING INSTRUCTIONS			CHAPIER 3. MAINTENANCE	• •	-
Section I. Operating procedures			INSTRUCTIONS		
General	2-1	2-1	Se uon I. Lubrication		
Preparation of vehicle before			Lubrication order		
operation	2-2	2-3	(LO 9-2520-218-12)	3-1	3-1
Operating precautions	2-3	2-19	Lubication chart	3-2	3-2
0,	2-4	2-21	II. Preventive maintenance checks		
	2-5	2-21	and services		
<b>8</b>	2-6	2-23	General	. 3-3	3-2
•• •	2-7	2-27	Procedures		3-8
• •	2-8	2-28	Cleaning instructions		3-9
Parking the vehicle	2-9	2-28	Cleaning precautions		3-10
II. Operation of auxiliary equipment			Preventive maintenance		3-11
	2-10	2-29	III. Troubleshooting		
	2-11	2-30	General	3-8	3-25
	2-12	2-37	Procedures	-	3-25
	2-13	2-45	IV. Maintenance procedures		
	2-14	2-47	General	3-10	3-36
	2-15	2-54	Wheel and tire replacement	3-11	3-36
, and the same of	2-16	2-58	Draining and filling		3 34
1 6 ,	2-17	2-58	cooling system	3-12	3-39
0	2-18	2-59	Windshield washer		3-41
	2-19	2-60	Checking electrolyte in batterio		3-43
	2-20	2-63	* ,		0 20
	2-21	2-66	APPENDIX A. REFERENCES		A-l
III. Operation under unusual conditions			B. BASIC ISSUE ITEMS LIST (BIIL)		B-I
Extreme cold condition	2-22	2-71	(2777)	•	
Extreme hot weather operation	2-23	2-75			
	2-24	2-76			
	2-25	2-80			

# Consider for JPMs 4 & 6

## REVIEW SHEET FOR EXISTING INSTRUCTION # 2

Title of Document: Organizational Maintenance Manual for & Ton Utility
Truck
Author: Headquarters, Department of the Army
Volume and Number: Date: 23 Sept 1971
Publisher: Headquarters, Department of the Army
Any Other Identifying Info.: TM 9-2320-218-20 Official Document?: Yes
Medium: Print
Delivery System: Print
Developed by ISD Method?: Yes No
Job Analysis Data:
Front End Analysis
Job Analysis
Done within the past 5 years? Yes
Any system changes? Yes
What were the sources? Obtained from earlier publications
Can you generalize this situation to your situation? Yes
Is the data difficult to locate? No, information given
Any other comments?
Select Tasks
Are these tasks based on the same criteria of tasks that your command

	on, skill levels, etc.? Yes, few modifications
Was tas	k selection based on the same constraints? Unknown
Job Per	formance Measures
Can you	review all JPMs? Attach list. No
What pa	arts match the objectives?
Any oth	ner comments?
DECISION:	Accept:
	Accept Partially:
	Reject:
	Reconsider at Block III.3:

TECHNICAL MANUAL NO. 9-2320-218-20

HEADQUARTERS
DEPARTMEN'T OF THE ARMY
WASHINGTON, D. C., 23 September 1971

## ORGANIZATIONAL MAINTENANCE MANUAL

TRUCK, UTILITY: 1/4 TON, 4X4, M151, M151A1, M151A2;

TRUCK, UTILITY: 1/4 TON, 4X4, M151A1C,

M825 WITH RECOILLESS RIFLE;

# TRUCK, AMBULANCE, FRONT LINE:

## 1/4 TON, 4X4, M718, M718A1

		Paragraph	Page
CHAPTER 1.	INTRODUCTION		
Se tion 1.	General	1-1-1-6	1-1
II.	Description and data	1-7. 1-8	1-2
	The state of the second st		
CHAPTER 2.	SERVICE AND MAINTENANCE INSTRUCTIONS		
Section I.	Service upon receipt of materiel	2-1-2-5	2-1
.11.	Parts, tools, and equipment Lubrication	2-6-2-9	2-1
111.		2-10-2-12	2-2
Ŋ.	Preventive muintenance services	2-13-2-16	2-3
V.	Troubleshooting the vehicle	2-17. 2-18	2-8
VI.	Troubleshooting the electrical system	2-19-2-25	2-17
VII.		2-26-2-41	2-87
VIII.	Fuel system	2-42-2-54	2-102
IX.	Exhaust system	2-552-60	2-117
X.	Cooling system	2-61-2-66	2-121
XI.	Ignition system	2-67 2-72	2.12.
λII.	Starting system	$2 \cdot 73 - 2 \cdot 75$	2-131
XIII.	Generating system	2-76-2-81	2-133
XIV.	Batteries and lighting system .	2-822-99	2-135
XV.	Batteries and lighting system Instrument panel, switches, sending unit, and horn	2-100-2-118	2.165
XVI.	Ventilating system	2-119-2-122	2-173
XVII.	Transmission and transfer	2-123-2-125	2-175
XVIII.	Propeller shafts and universal joints	2-126-2-128	2-176
$\lambda$ IX.	Front suspension and drive	2-129-2-150	2-177
XX.	Rear drive assembly	2-151-2-154	2-192
$\lambda XI$ .	Rear suspension	2-155-2-159	2-194
XXII.	Steering system	2-160-2-165	2.196
XXIII.	Brake system	2-166-2-176	2-199
XXIV.	Brake system Wheels and tires	2-177-2-178	2-207
XXV.	Body and misrellancous components	2-179-2-200	2.207
VXVI.	Radio interference suppression	2-201-2-203	2-219
AXVII.	M151A1C and M825 vehicles and 100mm recoilless rifle	2-2042-207	2-221
AAVIII.	MT18 and MT18A1 vehicles	2-208-2-212	2-221
		F-700-5-512	2-221
CHAPTER 3.	MATERIEL USED IN CONJUNCTION WITH MAJOR ITEMS		
Section 1.	General .	3-13-3	2-1
11.	Winterization kit (-65° F.)	3-43-17	3.1
iit.	Hardton kit	3-183 22	3-14
iv.	Hot water heater kit (25° F.)	3-23-3-36	3-15
		.,	.,- 4.,7

^{*}This manual supersedes TM 9-2320-218-20, 26 August 1968, including all changes.

		TW-M3-13	
		Paragraph	Page
١.	Deepwater fording kit	3-373-45	3-22
VI.	100-ampere alternator Sit	3-463-56	3-26
\11.	180-ampere battery charging system	3-573-58	3-37
1111	M16 11 rifle mount bit	3-593-64	3-37
13.	Door and side curtain kit	3-65-3-66	3-42
٧.	W1 gun mount pedestal	3-67, 3-68	3-42
CHAPTER I	ADMINISTRATIAL STORAGE		
Section 1	Shipment and storage	4-1-4-4	4-1
H.	Destruction of materiel to prevent enemy use	4-5-4-7	4-6
APPENDIX A.	REFFRENCES	A-1A-4	A-1
В.	MAINTENANCE ALLOCATION CHART.	B-1. B-2	B-1
<b>(</b>	DEPROCESSING OF VEHICLES	C-1—C-3	C-1

# Consider for JPM 4

# REVIEW SHEET FOR EXISTING INSTRUCTION # 3

Title of Document: Troubleshooting the Starting System on a 1/4 Ton Truck
Author: John lones
Volume and Number: Date: June 1975
Publisher: U.S. Army Ordnance School
Any Other Identifying Info.: 000-000-6056F Official Document?: Yes
Medium: film-sound; still visuals
Delivery System: Besseler Cue/See - also available on slide/tape
Developed by ISD Method?: Yes X-Systems Engineering No
Job Analysis Data:
Front End Analysis
Job Arclysis
Done within the past 5 years? Yes
Any system changes? No
What were 'he sources? Unknown
Can you generalize this situation to your situation? Yes
Is the data difficult to locate? Data is available from Ordnance School
Any other comments? <u>Lesson has been validated on E1-E4s</u>
Select Tasks
Are these tasks based on the same criteria of tasks that your command is? Yes

And the second s

ls the da location,	skill levels, etc.? Yes, with some changes
Was task	selection based on the same constraints? Yes
Job Perfo	rmance Measures
Can you r	eview all JPMs? Attach list. No, but lesson posttest matches
our JPM	5
What part	s match the objectives? Good match of objectives and JPM
Any other	comments? Job task data card available on supporting skills
and know	v1 edge
DECISION:	Accept:
	Accept Partially:
	Reject:
	Reconsider at Block III.3:

# Use with JPM 6

# REVIEW SHEET FOR EXISTING INSTRUCTION

Title of Document: Use and Care of the Optical Antifreeze Battery Tester
for Determining State of Batteries and Testing Antifreeze Protection
Author: John Jones
Volume and Number: Date: Jan. 1975
Publisher: U.S. Army Ordnance School
Any Other Identifying Info.: LN 000-000-6051F Official Document?: Yes
Medium: Print and slide/tape
Delivery System: Illustrated text and Besseler Cu=/See AV Lesson
Developed by ISD Method?: Yes X-Systems Engineered No
Job Analysis Data:
Front End Analysis
Job Analysis
Done within the past 5 years? Yes
Any system changes? No
What were the sources? Obtained from other documents
Can you generalize this situation to your situation? Yes
Is the data difficult to locate? Obtained from other sources
Any other comments?
Select Tasks
Are these tasks based on the same criteria of tasks that your command
is?Yes

A STATE OF THE STA

Is the locatio	data used to select tasks based on the same geographic n, skill levels, etc.? Yes - information given
Was tas	k selection based on the same constraints? Yes
	formance Measures
Can you attac	review all JPMs? Attach list. No. List of lesson objectives thed
What pa	rts match the objectives? Second section
Any oth	er comments?
- H	
DECISION:	Accept:
	Accept Partially:
	Reject:
	Reconsider at Block III.3:

# Use with JPM 6

# REVIEW SHEET FOR EXISTING INSTRUCTION # 5

Title of Document: Use of Antifreeze Solutions for Cleaning Compounds in
Engine Cooling Systems
Author: Headquarters, Department of the Army
Volume and Number: Date: 22 Jan 1971
Publisher: Department of the Army
Any Other Identifying Info.: TB 750-651 Official Document?: Yes
Medium: Print
Delivery System: Print
Developed by ISD Method?: Yes NoX
Job Analysis Data:
Front End Analysis
Job Analysis
Done within the past 5 years? Yes
Any system changes? Yes
What were the sources? <u>Unknown</u>
Can you generalize this situation to your situation? Yes
Is the data difficult to locate? Unavailable
Any other comments?
Select Tasks
Are these tasks based on the same criteria of tasks that your command is? Unknown

locatio	n, skill levels, etc.? Yes - with several differences
Was tas	k selection based on the same constraints? Unknown. Appears
Job Per	formance Measures to cover same topics.
Can you	review all JPMs? Attach list. No
What pa	erts match the objectives?
Any oth	er comments?
DECISION:	Accept:
	Accept Partially:
	Reject:
	Reconsider at Block III.3:

INTERSERVICE PROCEDURES FOR INSTRUCTIONAL SYSTEMS DEVELOPMENT



MODULE FOUR

### **WORKSHOP LEARNING OBJECTIVES**

- 1. Analyze collected data and determine what additional data are required to make instructional setting decisions. Provide examples of the required data.
- 2. State the general guidelines to follow when nominating instruction to each of the following settings: JPA, STEP, FOJT, ISS, RS. State: the the advantages/disadvantages of each setting.
- 3. Using provided data, nominate appropriate instructional settings for tasks. Provide a rationale for each decision.

### WORKSHUP INSTRUCTIONAL MATERIALS

Read Block I.5 in the ISD Manuals. If there is any part that you do not understand, ask the Workshop Enabler for assistance.

### **WORKSHOP EXERCISES**

- On the following pages are JPMs for nine tasks. Summary survey data are also included for each task. Based on the JPM and the summarized data, nominate each task to an instructional setting (JPA, STEP, FOJT, ISS, RS) using the guidelines on pages 245-259.
- 2. You will be nominating your task (the one you prepared a JPM for in Module 2) to an instructional setting. Do you have all the data you need to make this nomination? If not, what additional data do you need? For any additional data that you think you need, summarize the data in the form you think they would take. Make whatever assumptions you need to make, but be sure to document the assumptions. The Enabler may change some of your data and some of your assumptions. What you get back from him will represent the "real" data.
- 3. Based on the data from Exercise 2, nominate an instructional setting for your task. Give reasons for your nomination. (NOTE: You may have to explain the final setting selection to the Workshop Enabler.)

# EXERCISE 1 RESPONSE SHEET

JPM	TASK	ASSIGNED SETTING
1a	Survive	
2	Adjust a malfunctioning wheelbearing on a $\mbox{\ensuremath{\upred}{$\chi$}}$ ton truck	
3	Determine state of charge of the battery using the Optical Antifreeze Battery tester	
5	Test battery using the LVCT	
6	Determine antifreeze protection of a cooling system using the Optical antifreeze battery tester	
7	Draw front and right side view sections of mechanical objects	
8	Letter with Leroy Lettering Set	
9	Draw multiview projections	<del></del>
10	Dimension drawing of mechanical objects	

# SUMMARY SURVEY DATA FOR NINE TASKS

	% Per	formina	Consequences		7267	
	of Total Members	Total of 1st Year Imbers Members	of Inadequate Performance	Task Difficulty	Delay Tolerance	
om Task List for Combat Infantryman)						
Survive when separated from unit in an un- inhabited area	2.00	1.00	8.2	3.1	5.0	
om Task List for Wheel Vehcile Mechanic)						
Adjust malfunctioning wheelbearing on a 4 ton truck	63.00	71.00	4.2	5.1	4.2	•
Determine state of charge of the battery using Optical Antifreeze Battery tester	<b>88.</b> 00	93.00	3.8	3.4 4.	2.6	
Test battery using the LVCT	76.00	81.00	6.1	3.3	2.8	
Determine antifreeze protection of a cooling system using the Optical Antfreeze Battery Tester	58.00	64.00	5.2	2.9	2.5	
m Task List for Illustrator)						•
Draw front and right side view sections of mechanical objects	59.00	62.00	3.7	4.2	7.1	•
Letter with Leroy Lettering Set	68.00	73.00	4.1	6.3	6.9	TI
Draw multiview projections	77.00	81.00	3.8	6.5	6.2	W-M4
Dimension drawing of mechanical objects	71.00	78.00	3.9	5.4	6.5	-3

ASK: ASK: TA	(Real world performance, controlled conditions) All Combat Soldiers Page No. 1	LEVEL E1-E8	CONDITIONS INITIATING CUES STANDARDS NOTES	Jungle or other survi- Separated from unit in Avoid poisoning and serious weight loss or dehydration.			<u>j</u>	PM 1a		TW-	M4-4	
	JPM la (Real world peri		TASK, ELEMENTS, J.P.M.	TASK: Survive	1. Select and eat edible plants.	<ol><li>Locate and drink water.</li></ol>						

) 1	Wheel Vehicle Mechanic	anic	SOG	XXA	PAGE NO. 1
UTY/CODE	DE		LEVEL	E1-E3 DATE	
ITEM	TASK, ELEMENTS, J.P.M.	CONDITIONS	INITIATING CUES	STANDARDS	NOTES
	TASK: Adjust malfunc- tioning wheelbearing on a % ton truck.	One-ton hydraulic jack; general mechanic's tool box; ½" square drive torque wrench; TM 9-2320-218-20. Indoors or outdoors in daylight and dry weather.	The following statement from the test administrator: During a road test the left front wheel of this vehicle wobbled and shook. It's caused by a loose wheelbearing. Your task is to repair it. Here are tools a reference materials if you wish to use them. You have 25 minutes to finish the job.	All steps must be completed in 25 minutes.	JPM 2
	1. Obtain jack and position in a large vehicle. 3. Loosen locknut on lifting 4. Remove lifting eye from whs 5. Remove cotter pin. 6. Select torque wrench. 7. Tighten flange nut to 30 ll. Release torque by logsening 9. Tighten flange nut finger 10. Replace lifting eye. 11. Replace lifting eye. 12. Tighten locknut on iffting 13. Lower vehicle to ground.	and position it properly.  lut on lifting eye.  ing eye from wheel.  is wrench.  is wrench			TW-M4~5

TASK, ELEMENTS.  CONDITIONS  ITASK, ELEMENTS.  CONDITIONS  INITIATING CUES  STANDARDS  STATE of charge of battery  Tester; IB 750-56;  The charge of battery  Tester; IB 750-56;  The charge of battery  Tester; IB 750-56;  The charge of battery  The commendation (  The		JPM 3 Wheel Vehicle Mechanic		JOB DATA WORKSHEET	XXA	PAGE NO.	
TASK, ELEMENTS.  CONDITIONS  TASK, ELEMENTS.  CONDITIONS  TASK, Determine state  TASK: Dete	TV/C0	)E		LEVEL.	E1-E3 DATE		
TASK: Determine state of charge of buttery of charge of buttery using the Optical nutificeze Battery using the Optical nutificeze Battery of out.  In Prepare tester for use.  a. Clean plastic cover and measuring window with tap water, then dry. b. Swing plastic cover down against the measuring window. c. Clean eyepiece lens with soft cloth or tissue.  I. Prepare tester for use.  a. Remove battery caps. b. Swing plastic cover down against the measuring window. c. Clean eyepiece lens with soft cloth or tissue. c. Clean plastic cover down against the measuring window. c. Clean eyepiece lens with soft cloth or tester.  a. Remove battery caps. b. Nove a few drops of electrolyte from one cell through opening in plastic cover onto exposed part of measuring window of tester using black dipstick. c. Lay dipstick on reg dampened with tap water.  3. Determine state of charge of cell. a. Point the tester toward a bright light and look through, the eyepiece. c. Compare cell charge with that specified head scale at the dividing light a and dark area. Keep cover closed and read scale at the dividing light. c. Compare cell charge with that specified head scale at the dividing light and dark area. Keep cover closed and read scale at the dividing light and dark area. Keep cover closed and read scale at the dividing light. c. Compare cell charge with that specified head scale at the dividing light and and are fer aden cells and compare test readings to battery charge scale. c. Compare cell charge with the scale and dipstick with a clean rag dampened with water. (Must be done after agent condition based on test results of all cells in battery. C. Recommend further action if necessary. B. Flush tester measuring window, plastic cover and dipstick with clean tap water and dry.  B. Flush tester measuring window, plastic cover and dipstick with clean tap water and dry.	ITEM	TASK, ELEMENTS. J.P.M.	CONDITIONS		STANDARDS	NOTES	
1. Prepare tester for use.  a. Clean plastic cover and measuring window with tap water, in a dry. b. Swing plastic cover down against the measuring window. c. Clean eyepiece lens with soft cloth or tissue. 2. Transfer electrolyte from battery cell to tester. exposed part of measuring window of tester using black dipstick. c. Lay dipstick on rag dampened with tap water. 3. Determine state of charge of cell. a. Point the tester toward a bright light and look through the eyepiece. b. Read the scale on the left side. Electrolyte sample will divide scale and dark area. Keep cover closed and read scale at the dividing line. c. Compare cell charge with that specified heatde the battery chage coale and measuring window, plastic cover and dipstick with a clean rag dampe (Must be done after each cell test.) 5. Test electrolyte in remaining cells and compare test readings to battery of Determine each battery condition based on test results of all cells in ba 7. Recommend further action if necessary. 8. Flush tester measuring window, plastic cover and dipstick with clean tap		IASK: Determine state of charge of battery using the Optical Antifreeze Battery Tester.	% ton truck; Optical Antifreeze Battery Tester; TB 750-561; any weather; inside or out.	from letermi harge	of the steps erformed in c recommendation be correct. y precaution		
a. Remove battery caps. b. Move a few drops of electrolyte from one cell through opening in plastic exposed part of medsuring window of tester using black dipstick. c. Lay dipstick on rag dampened with tap water. 3. Determine state of charge of cell. a. Point the tester tdward a bright light and look through the eyepiece. and dark area. Keep cover closed and read Scale at the dividing lihe. c. Compare cell charge with that specified heside the battery chage scale c. Compare cell charge with that specified heside the battery chage scale (Must be done after each cell test.) 5. Test electrolyte in remaining cells and compare test readings to battery 5. Test electrolyte in remaining cells and compare test readings to battery 6. Determine each battery condition based on test results of all cells in ba 7. Recommend further action if necessary. 8. Flush tester measuring window, plastic cover and dipstick with clean tap		Prepare tester. Clean plastic. Swing plastic. Clean eyepiec.	e. and measuring window wi down against the measur with soft cloth or tiss	ت. دن: ع			
c. Lay dipstick on rag dampened with tap water.  3. Determine state of charge of cell.  a. Point the tester toward a bright light and look through the eyeplece. b. Read the scale on the left side. Electrolyte sample will divide scale and dark area. Keep cover closed and read scale at the dividing line. c. Compare cell charge with that specified heside the battery chage ccale c. Compare cell charge with that specified heside the battery chage ccale d. Clear measuring window, plastic cover and dipstick with a clean rag dampe (Must be done after each cell test.) 5. Test electrolyte in remaining cells and compare test readings to battery 6. Determine each battery condition based on test results of ail cells in ba 7. Recommend further action if necessary. 8. Flush tester measuring window, plastic cover and dipstick with clean tap		<b>⊢</b>	from battery cell to tes electrolyte from one ce suring window of tester	ter. 11 through opening in using black dipstick.	cover	<u>JPM</u> 3	^
a. Point the tester toward a bright light and look through the eyeplece.  b. Read the scale on the left side. Electrolyte sample will divide scale and dark area. Keep cover closed and read scale at the dividing line.  c. Compare cell charge with that specified heside the battery chage scale (Must be done after each cell test.)  (Must be done after each cell test.)  5. Test electrolyte in remaining cells and compare test readings to battery 6. Determine each battery condition based on test results of all cells in ba 7. Recommend further action if necessary.  8. Flush tester measuring window, plastic cover and dipstick with clean tap	<u></u>	;	dampened with tap water arge of cell.	•			
4. Clear measuring window, plastic cover and dipstick with a clean rag (Must be done after each cell test.) 5. Test electrolyte in remaining cells and compare test readings to bat 6. Determine each battery condition based on test results of all cells 7. Recommend further action if necessary.  8. Flush tester measuring window, plastic cover and dipstick with clear			ward a bright light and he left side. Electroly p cover closed and read with that specified hes	ough the eyepi e will divide the dividing battery chage			•
			w, plastic cover and dip ach cell test.) emaining cells and compa y condition based on tes ion if necessary. g window, plastic cover	in rag to bat cells clear	ery charge scale. n battery. tap water and dry.	TW-M4-6	and the second s
	<u></u>				K SECHARIBANA		Age 1.

		BOL	JOB DATA WORKSHEET	- sta	
O. TITLE	JPM 5 Wheel Vehicle Mechanic		XXX sod	XXX	PAGE NO. 1
				ç	
UTY/20DE	DE		LEVEL	ti-ts uale	
ITEM CODE	TASK, ELEMENTS, J.P.M.	CONDITIONS	INITIATING CUES	STANDARDS	NOTES
	TASK: Test battery;	½ ton truck; LVCT; TM 9-2320-218-20; TM 9-4910-456-14	Directions from supervisor to test battery.	steps mused in order to the corresponding replacements.	
	1. Test batteries under	load using the LVCT load	bank.	damage to equipment or injury to personnel.	
	a. Draw LVCT from tool/supply room	/supply room.			JP
A A	1) Open and remove tester 2) Check to see that LVCT equipment (test leads a	cover. is complete with and shunt). conents to make su	th Dperator/Maintenance Manual sure they are functional.	al and support	<u>M 5</u>
	b. Prepare LVCT for op	for operation.			
	1) Zero meter pointers. 2) Turn load bank switc 3) Turn load bank contr 4) Remove all support e 5) Place LVCT in a well 6) Assure that ventilat	h and voltmeter rai ol knobs and field quipment from the ventilated place ion slots are not	selector switch to ostat control knob age compartment. e test leads will h	OFF position. fully counterclockwise. reach the batteries.	Tiv
	c. Set up LVCT to lead batter 1) Make sure 12 volt load 2) Connect voltmeter test Tighten binding posts w	y system circuit. bank link is in t leads to voltmete ith fingers.	y system circuit and test voltage (both batteries).  bank link is in the open position.  leads to voltmeter binding posts, keeping polarity ith fingers.	tteries). polarity correct.	I-M4-7
	g. Make decision to replace battery(s)	<b>4</b> .	a÷ least minimum voltage reading	ling is not indicated.	,

the file of the file of the contract of the term of the contract of the contra

Wheel Vehicle Mechanic

TITLE_

PAGE NO.

XXA

DOS

JPM 6 TW-M4-8 NOTES DATE of the above steps order and recommenda-tion (6) must be must be performed in Use tester antifreeze pump to transfer a few drops of coolant from the vehicle radiator to the tester measuring window. Antifreeze protection Be sure cooling system is cooled sufficiently so that radiator cap can be removed without coolant escaping. STANDARDS (Db not test here.) Compare antifreeze protection to that prescribed in TB 750-651 and/or local SOP correct. E1-E3 A LEVEL antifreeze protection. Directions from supervisor to determine Point the tester toward light and read the scale on the right side. is indicated by a line on scale dividing light and dark are.. Prepare tester for use (same as for testing battery electrolyte). INITIATING CUES in any weather, inside 7. Clean tester with clear tap water and dry. % ton truck, Optical Antifreeze Battery Tester, TB 750-651, CONDITIONS Recommend further action if necessary. or out. Determine anti cooling system using Optical Antifreeze freeze protection of TASK, ELEMENTS, Battery Tester. 7 L TASK: TY/CODE. TEM

**人 王**つ

TEN

CAN A LAND AND AND AND AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERS

118 27 75

*Figure not included JPM 7 TW-M4-9 PAGE NO. NOTES here. hographic sketch of the front and right side view of the object.

plane line on the front view and section the right side view.

on tracing paper 11" x 15", utilizing information from the freehand sketch. DATE to within 1/32d of an inch. correct and accurate STANDARDS Drawings will be LEVEL E1-E3 Dos DOA struction is so complex as to render the use of hidden lines too requested that you draw various objects whose internal con-Your supervisor has INITIATING CUES confusing.. Standard issue draft-CONDITIONS ing equipment; T-square Dimension the drawling. right side view sections Make a freehand ort Sketch the cutting Center the drawing tional views of a pump mechanical objects. Draw the fighre. 1. Draw the front and right side full secod guide (Figure 1)* **TASK: Draw front and** drawing the views at TASK, ELEMENTS, Illustrator ouble size. نه ښې ښه TITLE_ ITY/CODE

DPM 8

である。

JPM 8 TH-M4-10 NOTES PAGE NO. DATE no thin, weak, sloppy, or uneven horizontal uniformly spaced (with pin or template slips. Task must be performed form letters that are Letter the following titles on guide lines, cantered horizontally, using the #240 template. letters and no guide consistent uni-STANDARDS LEVEL E1-E3 ¥ t pos 000 for slides which are to produce writing titles be used for a confer-Your supervisor has INITIATING CUES requested that you T-squares; Leroy scriber; #140 template; Standard issue draft-#240 template; Leroy CONDITIONS . . ing equipment; Pen sut MAP CONSTRUCTION
ORTHOGRAPHIC PROJECTION UNITED STATES AIR FORCE TASK: Letter with Leroy Lettering set. FASK, ELEMENTS, Illustrator 10 E D'S TITLE UTY/CODE CODE

Illustrator

OB TITLE

TEN

の芸

PAGE NO.

JPM 9 TW-M4-11 *Figure not included NOTES DATE length. The drawings must be correct and The opaque lines must accurate to within 1/32d of an inch. be of a consistent width their entire Make a freehand orthographic sketch of the bbject to make sure that the Views' details b. Space the views on the drawing sheet.

c. Lay off principal dimensions and then block in views with light, sharp lines.

d. Draw in the details of each view, utilizing view-to-view projection where possible.

e. Use #8 lettering for object titles and #5 lettering for your name and project number. STANDARDS LEVEL E1-E3 a front, top and right side view of various 1. Draw a front, top and right side view of a Behm Support (Figure 1)*. requested you to draw tour supervisor has INITIATING CUES objects. Standard issue draft-CC IDITIONS ing equipment; T-square Draw multiview are understood. TASK, ELEMENTS, 1.0 X TASK: Draw n projections. UTY/CODE **308** 

pos 00A

PAGE NO.

DATE

LEVEL E1-E3

completely describe the object dimensioned. The dimensions and note The dimensions must STANDARDS

Your supervisor has requested that you dimension orthographic

maft-

Standard issur ing equipment; I-square

drawings of mechanical objects.

TASK: Dimension

INITIATING CUES

CONDITIONS

TASK, ELEMENTS,

UTY/CODE

J.P.K

TEM SODE

[]]ustrator

OB TITLE

views that you com-pleted earlier.

NOTES

must be one hundred percent accurate.

provide sufficient For the orthographic views given, select the measurements to be shown, dimensions to construct the object, and properly place the dimensions. JPM 10

TW-M4-12

Ì

INTERSERVICE PROCEDURES FOR INSTRUCTIONAL SYSTEMS DEVELOPMENT



Ŷ

MODULE FIVE

### WORKSHOP LEARNING OBJECTIVES

- 1. Using a list of job tasks, write the terminal learning objectives (TLOs) for each task, including in these statements, the actions, conditions, and standards.
- 2. Classify specified TLOs into one of the following categories of learning: Mental skills, information, physical skills, or attitudes.
- 3. For a familiar group of tasks and students, state the probable student entry behaviors.
- 4. Perform a learning analysis for provided TLOs. Write the learning objectives including in the statements, the actions, conditions, and standards, and specify which items are learning steps (LSs).
- 5. Write test items which can be used to test provided TLOs, Los, and LSs.
- 6. For a group of familiar tasks, state why or why not within-course tests should be used.

### WORKSHOP INSTRUCTIONAL MATERIALS


Read Blocks II.1 and II.2 in the ISD Manuals. If there is any part that you do not understand, ask the Workshop Enabler for assistance.

### **WORKSHOP EXERCISES**

1. Given the following LO action statements from the LVCT learning analysis, write 3 test items. You may use the "B" part of JPM 4 and the pages from the TM which follow these exercises.

LO Action Statement: Given readings on battery ground cable tests and the battery cable test, the trainee will interpret the readings and recommend further actions if necessary.

A voltmeter looks like this:



- 2. For your task (the task for which you constructed a JPM(s) in Module 2 and selected an instructional setting(s) for in Module 4), develop terminal learning objectives (TLOs). The TLOs must include actions, conditions, and standards. Fill in blocks marked 1, 2, 3, and 4 of the attached Learning Objective Analysis Worksheet (LOAW) for each TLO.
- 3. Classify each of your TLOs into the appropriate learning category (block 6 of the LOAW).
- 4. Perform a learning analysis of one of two selected TLOs. A suggested numbering system for the analysis is shown on page 23 of the Phase II Manual. The analysis should only proceed as far as the assumptions that are made about the student entry behaviors. Using the LOAW, document the actions, conditions and standards for each LO and designate the LSs for each LO. The LSs may be listed in block 10 of the worksheet.
- 5. State clearly what applicable skills and knowledge you assume the typical student who will take your course already has. All or most of this should already be available from Exercise 4. If you wish, simply identify those items rather than rewrite them.
- For each of the TLOs, LOs and LSs developed in Exercise 4, write a test item. These items go in block 5 of the LOAW.
- 7. State why or why not within-course tests should be used when training the TLOs, LOs and LSs developed in Exercise 4.
- 8. Why are the concepts of "false positive" and "false negative" important to the test developer?

9. Define the term "fidelity" as it applies to testing.  $\sqrt{\phantom{a}}$ 

(NOTE: A Learning Objective Analysis Worksheet is attached for your use. You may get additiona? Worksheets from the Enabler.)

Exercise 1 JPM 4 a. If voltmeter shows low or no reading, move selector switch to 20-volt position and again read the meter with starter in operation. to voltmeter binding phsts keeping polarity Connect opposite (probe) ends of voltmeter test leads between battery ground post end to the 10-volt position and retest. there is low ur no reading in the 10-volt Move voltmeter range selector switch to the 5D-volt position and operate starter wich ignition switch off. Locate and correct malfunction or defect, skould reading be over 0.1-volt. Retest circuit to make sure malfunction is corrected. 1. Connect LVCT between battery ground terminal and starter frame. Connect tester ends of voltmeter test leads

If low or no reading, move selector switch Move selector switch to 1-volt position if

position.

ن ض

the starter frame

correct.

JOB DATA ORKSHEET

7

OB TITLE Wheel Vehicle Mechanic J. MdC

UTY/CODE

VOTES

STANDARDS

INITIATING CUES

CONDITIONS

TASK, ELEMENTS,

J.P.M.

CODE TEM

diagnoses made in each case. All safety rules must be followed.

The tests must be per-

formed and correct

Supervisor directs you to determine the cause of starting problems on a ½ ton truck.

½ ton truck; LVCT; TM 9-2320-218-20; TM 9-4910-456-14

Troubleshoot

TASK:

starting system

유

equipment or injury

Check the battery ground cable and battery to battery cable for continuity.

personnel.

Without damage to

PAGE NO

DATE

E1-E3

LEVEL

XXA

# JOB DATA WORKSHEET

AGE NO. 2	STANDARDS	on LVCT keeping 4, fig. 2-18, ster; if low or to 10 to 1) reading cable for corroded  cable for corroded	-5
hanic Dos XXA	INITIATING CUES	ition. ition. ition. ts as shown in test itch off and read me and examine battery ective.	
	CONDITIONS	Connect LVCT to perform battery to battery cable test.  a. Position volumeter range selector switch to off post polarity correct.  c. Turn volumeter range selector switch to 50-volt post of Touch meter probe ends of test leads to battery post TM 9-2320-218-20.  TM 9-2320-218-20.  Operate starter with ignition switch mo reading, turn volumeter range selector switch do the meter at each position.  e. If reading over 0.1-volt exists, clean connections (eaten away) strands. Replace battery cable if def for the meter to make sure malfunction is corrected.	
Wheel Vehicle Mechanic	TASK, ELEMENTS, J.P.M.	Connect LVCT to a. Position voluments of the standard. Two polarity corect test to Tuch meter and the meter and e. If reading (eaten away) f. Retest circular of the standard	
DB TITLE	ITEM	<u>ri</u>	`




Figure 2-1B. Starting system tests.

STARTING	SYSTEM	CIRCUIT	Hie	2.181

Melfunction	Circuit	Test
		NOTE All reference to ground for following tests pertains to vehicle frame.
3. Starter fails to crank or cranks slowly—Continued  NOTE	6.7.68	Test 2. Perform the starter voltage test. Connect low voltage circuit tester 150-volt range) between starter terminal and starter frame as shown in figure 2-18, test 2. With the ignition switch off, depress starter switch. If rending is 18.5 volts or more, starting switch, cables and batteries are not the cause of slow cranking. Check for tight engine or defective starter. If reading is less than 18.5 volts, perform test 3.  Test 3. Perform the battery ground cable test. Connect low voltage circuit
Coat all battery terminal post clamps with light grease after tests have been completed.		tester (50-volt range) between battery ground terminal and starter frame as shown in figure 2-18, test 3. With the ignition switch off, depress starter ewirch. If voltmeter shows no or low reading, switch the voltmeter range scleetor to a lower range until a reading is obtained or the 1-volt range is reached. If reading is more than 0.1 volt, remove battery ground cable and bettery terminal post clamp. Clean battery terminal post and battery terminal post clamp with wire brush. Re-install battery cable and terminal post clemp and tighten all bolts securely to assure a good ejectrical connection. Perform test again. If the voltage reading is still more than 0.1 volt, install a new cable, and retest. If starter still cranks slowly, perform test 4.
	<b>68</b>	Test 4. Perform battery-to-battery cable test. Connect low voltage circuit tester 150-volt range) across battery-to-battery cable. Contact the actual battery posts, and not the terminal post clamp, with positive and negative test leads as shown in figure 2-18, test 4. With the ignition switch off, depress starter switch. If voltmeter shows no or low reading, switch the voltmeter range selector to a lower range until a reading is obtained or the 1-volt range is reached. If reading is 0.1 volts or less, cable is serviceable. If reading is 0.1 or more, remove the battery-to-battery cable. Clean the battery terminal posts and the terminal post clamps on the cable with a wire brush. Re-install the cable and tighten all bolts accurely to assure a good electrical connection. Perform test again. If the voltage is still more than 0.1 volt, install a new cable, and retest. If the starter still cranks slowly, perform test 5.
	80,7,6	Test 5. Perform battery positive terminal test. Connect the low voltage circuit tester (50-colt range) between the battery positive post and its terminal post clamp as shown in figure 2-19, test 5. With the ignition switch off, depress the starter switch. If the voltmeter shows no or low reading, switch the voltmeter range selector to a lower range until a reading is obtained or the 1-volt range is reached. If the reading is more than 0.1 volt. rémove the battery-to-starter switch terminal post clamp and clean the battery terminal post and the terminal post clamp with a wire brush. Reinstall the cable and tighten all bolts securely to assure a good electrical connection. Perform test again. If the voltage is still more than 0.1 volt. install a new cable and retest. If the starter still cranks slowly, perform test 0.  Test 0. Perform engine-to-frame ground strap test. Connect low voltage circuit tester (50-volt range) negative lead (black wire) to terminal post clamp of the negative (grounded) battery terminal. Connect the positive meter lead (red wire) to the starter frame, as shown in figure 2-19, test 6.
		With the ignition switch off, depress the starter switch. If the voltmeter shows no or low reading, switch the voltmeter to a lower range until a reading is obtained or the 1-volt range is reached. If the reading is more than 0.2 volts, check for loose bolts in the ground strap. If they are tight, and the reading is still more than 0.2 volts, install a new engine-to-frame ground strap, tightening bolts securely. Make sure frame surface area is clean to assure good electrical contact. Retest, If voltage is less than 0.2 volts and starter still cranks slowly, perform test 7.

INTERSERVICE
PROCEDURES FOR
INSTRUCTIONAL
SYSTEMS
DEVELOPMENT



Î

MODULE SIX

### WORKSHOP LEARNING OBJECTIVES

- 1. Given a learning analysis of a TLO, entry test assumptions, entry test items, and data from a trial of the entry test on the target population, interpret entry test results to find out whether entry behavior assumptions were correct and revise the assumptions based on the data.
- 2. Given TLOs, LOs, LSs, matching test items, and tested entry level assumptions:
  - a. Prepare an appropriate entry test, pretest and posttest.
  - b. Provide scoring criteria for each item in the tests prepared in (a).
  - c. Describe the purpose of the pretest prepared in (a) and explain why it should be used.
- 3. Given a learning analysis which includes dependent, independent, and supportive learning objectives, sequence dependent and supportive learning objectives.
- 4. State why independent objectives need not be sequenced by the designer.

### WORKSHOP INSTRUCTIONAL MATERIALS

Read Blocks II.3 and II.4 in the ISD Manuals. If there is any part that you do not understand, ask the Workshop Enabler for assistance.

### **WORKSHOP EXERCISES**

- 1. Use the following information to test entry behavior assumptions and revise them, if necessary, based on the data supplied.
  - A. Learning Analysis (see p ge TW-M6-3).
  - B. Entry behavior assumptions:
    - 1) Trainees can real well enough to use TMs.
    - 2) Trainees can follow safety rules.
    - 3) Trainees can identify symptoms.
    - 4) Trainees can assemble equipment using TM.
  - C. Entry test items:
    - No test was made for assumption 1 that trainees can read.
    - 2) An information test was given on the safety rules. The items on safety rules are:

Item 1--Is it dangerous to have your boots in water when testing electrical systems?

Item 2--Is it dangerous to touch both battery terminals at the same time?

- Item 3--Can you damage the LVCT if you make incorrect connections?
- 3) Three audio tapes of & ton trucks starting were used for identifying symptoms. The items are:

Item 4--Good quick start sound

Item 5--Slow crank sound

Item 6--Crank barely audible, no start sound

- 4) A sample performance test using the TM was given for assembly. Items are:
  - Item 7--Connect LVCT voltmeter test leads to voltmeter binding posts and connect free ends of voltmeter test leads between the battery positive post and its terminal post clamp.


Item 8--Connect LVCT voltmeter test leads to voltmeter binding posts and connect free ends of voltmeter test leads between the starter frame (housing) and the battery negative post clamp.

### D. Entry test data:

The entry test was given to 10 wheel vehicle mechanic trainees, all Els and Els. The data looked like this: (+ means correct, - means incorrect)

TRAINEE	A	В	С	D	E	F	G	н	I	J
ITEM 1	-	+	-	+	+	+	*	-	+	+
2	+	+	+	-	+	-	+	+	-	+
3	+	+	+	+	+	-	+	+	+	+
4	+	+	+	+	+	+	+	+	+	+
5	+	+	+	+	+	+	+	+	+	+
6	+	+	+	+	+	+	+	+	+	+
7	-	+	-	_	_	+	_	_	-	-
8	-	-	+	_	_	-	+	-	_	-

The errors made in 7 and 8 included mixing up the red and the black leads; also, failure to locate the starter frame (housing).



LEARNING ANALYSIS

このことが、これはいちゃくこれがあるというでしていること

### You are to:

- a. Correct the entry behavior assumptions.
- b. Extend the learning analysis.
- c. Revise the entry test and/or rewrite the statement of entry requirements, if they are necessary, based on the data given. Be sure to look at each test item and the assumptions to decide if the test items are testing the right behaviors. •/
- 2. Using the learning analysis from Exercies 1(A) and your revised entry behavior assumptions, sequence the dependent and supportive learning objectives. You may use just the alphanumeric designation (e.g., A.1.1.1) for each LO and TLO.
- 3. In Module 5 you developed a number of TLOs, LOs and LSs based partly on certain assumptions about student entry behaviors. For this exercise, assume that those assumptions were correct. Develop an entry test for those TLOs, LOs, and LSs. If you have previously written all or some of the test items in other exercises, you may identify the items rather than rewrite them. Describe standards and scoring procedure and the way you will use the pretest in the development and/or implementation process.
- 4. Develop a pretest and posttest for the TLOs, LOs, and LSs in Exercise 3. As with that exercise, you may identify any existing test items rather than rewrite them.
- 5. Sequence and structure the above TLOs, LOs, LSs. Give the reason for any major sequencing/structuring decisions. You may use just the alphanumeric designations rather than rewrite all of the objectives.
- 6. Why is it unnecessary to sequence independent objectives at this point?
- 7. How does the purpose of a pretest differ from an entry behavior test?
- 8. How do pairs of dependent and independent learning objectives differ?  $\sqrt{\phantom{a}}$

INTERSERVICE PROCEDURES FOR INSTRUCTIONAL SYSTEMS DEVELOPMENT



MODULE SEVEN

### WORKSHOP LEARNING OBJECTIVES

- 1. Classify learning objectives into appropriate learning categories and sub-categories.
- List appropriate learning guidelines for learning objectives or groups of learning objectives obtained from a learning analysis.
- 3. State an appropriate learning activity for each of the learning guidelines for specific learning objectives.

### WORKSHOP INSTRUCTIONAL MATERIALS

Read Block III.1 in the ISD Manuals. If there is any part that you do not understand, ask the Workshop Enabler for assistance.

### **WORKSHOP EXERCISES**

 a. Select the correct learning sub-category for the LOs have. Use Table III.6 (pages 12-16) in the Phase III Manual.

### Action Statements:

LO-1 Operate LYCT

LO-2 Select tests for given symptoms or test results

LO-3 Perform the following tests:

1) Battery positive terminal test

2) Engine to frame ground strap test

3) Starter voltage test

The conditions for all three LOs are:

ton truck
LVCT w'' apport equipment
TM 9-2: 3-20
TM 9-4910-456-14

The standards for all three LOs are:

Following safety precautions Correct readings Correct determination of repairs or replacement requirements

- b. Select the learning guidelines for LO-3 (the three objectives should be the same sub-category, therefore the same type of events). Use the guidelines in Appendix A of Block III.1 (page 35-70). List the selected guidelines by number only and write a description of the learning activity beside it. (Use the form provided on the next page. Additional forms are available from the Workshop Enabler.)
- For each of your TLOs, LOs, and LSs from Module 6, list the appropriate learning sub-category. (See pages 12-16, and 17-23 in Block III.1) You should list the sub-category in the "learning category" section of each Learning Objective Analysis Worksheet.
- 3. List appropriate learning guidelines for your LOs or groups of LOs. This should be done on the reverse side of the Learning Objective Analysis Worksheets. (Appendix A, pages 35-70) 4/
- 4. List appropriate learning activities for the guidelines selected in 3 above. Specifically, how will the learning guidelines selected for each TLO be operationalized? (See pages 24-26)_/
- 5. Define the following:
  - a. Natural feedback
  - b. Artificial feedback
  - c. Learning activity

		Exercise 1b, Module 7	[	TW-M7-3	•
_earning Category	Guide Ime	Media Selection Criteria	1	Media Pool	,
_earning Activity					
•	Į.	COMPLEXITY CRITERIA			
		Difficult Motor Acts Smooth Motor Performance at end of	+		
		Treining			
		STIMULUS CRITERIA			
		Visual Form	1 1		
		Alphanumeric ————————————————————————————————————	<del>                                     </del>	•	
		Line Construction, Plane			
		Object, Solid			
	[	Full visual environment			
		Visual Movement	1 1		
		Still Limited	+		
		Full-			
		Visual Spectrum			
		Black and White	<b>↓</b>		
		Gray Scale	+		
		Scale	+		
		Exact Scale			
		Audio			
		Voice Sound Range		Media Selection and	Rationale:
	ł	Full Sound Range	╂		·————
		Ambient Sounds-	+		
	ļ	Other Tactile Cues			
		Internal Stimulus Motion Cues			
	•	External Stimulus Motion Cues			
•		Fine movement menipulative Acts	+		
	1	TRAINING SETTING CRITERIA			
		Individual Trainee or team training at a Fixed Location ————————————————————————————————————			
		Individual Trainees with simultaneous			
		instruction or many locations Individual Trainee or team training with	1		
		Independent Instruction at any Location			
		Individual Traines on-the-job			
		Smell Group			
		Large Group at Single Location			
		Team Setting	4		
		ADMINISTRAT: VE CRITERIA			
		Site of Courseware Development			
	1	Local			
		Central	<del>                                     </del>		
		Magnitude of Acquisition Cost	1 1		
		Low	<del>                                     </del>		
			1 1		
	1				
	Ì				

and the control of the first tendence and the control of the contr

INTERSERVICE PROCEDURES FOR INSTRUCTIONAL SYSTEMS DEVELOPMENT



MODULE EIGHT

#### **WORKSHOP LEARNING OBJECTIVES**

- 1. Determine the appropriate media for each learning objective or group of learning objectives.
- Specify the instructional management plan necessary to accomplish a provided list of learning objectives.
- 3. Based on provided pertinent inputs, develop a System Master Plan for a project.
- 4. Describe three important considerations in selecting media.
- 5. Name high and low cost media.

#### **WORKSHOP INSTRUCTIONAL MATERIALS**

The reading for this module is Block III.2 in the ISD Manuals. If there is any part that you do not understand, ask the Workshop Enabler for assistance.

#### **WORKSHOP EXERCISES**

- Determine the appropriate media mix for the task, "operate LVCT." The learning activities and media selection criteria are shown on the attached Learning Objective Analysis Worksheet. Select the media pool, makε a media selection, and provide a rationale for your decisions. Also, annotate your decisions on the LOAW. The decision matrices for media selection can be found in Appendix B (Block III.2), pages 174-184. Criteria for rejecting media can be found on pages 118-123.
- 2. Determine the appropriate media mix for each of your learning objectives (those you developed in Module 5). Select the media pool, make a media selection, and provide a rationale for your decisions. Also, annotate your decisions on the LOAW (attached). Use the matrices and rejection criteria stated in Exercise 1.4/

	Module 8, Exe∽cise 1	<u> </u>	TW-M8-2
Guide line	Media Selection Criteria	<b>V</b>	Media Pool
			# <b>`</b> ₩ <i>. }</i>
1	Difficult Motor Acts Smooth Motor Performance at end of		
4			
	Visual Form	1/	) 
6	Pictorial, Plane		
1	Object, Solid-	Z	
	Visual Movement		
10	Still———————————————————————————————————		
10	Full-		
1,2	Black and White	1	
13	Gray Scale ————————————————————————————————————		
	Scale Exact Scale		
20	Audio		Media Selection and Rationale:
20	Full Sound Range	1	media Selection and fractorists.
1	Other	1	
1	Tactile Cues Internal Stimulus Motion Cues		
	External Stimulus Motion Cues Fine movement manipulative Acts		4 ).
	Broad Movement manipulative Acts		€ **
	TRAINING SETTING CRITERIA		
	Fixed Location ————		
ĺ	Individual Trainees with simultaneous instruction or many locations		
	Individual Trainee or team training with Independent Instruction at any Location		
	Individual Traines on the job.	-	•
1	Large Group at Single Location		
	Team Setting	_	
	ADMINISTRATIVE CRITERIA Site of Courseware Development		
	Local	12	
	Magnitude of Acquisition Cost		
	High	1	<b>1</b>
.			
ı			
	1 4	COMPLEXITY CRITERIA Difficult Motor Acts	Guide Inne  COMPLEXITY CRITERIA  Difficult Motor Acts_ Smooth Motor Performance at end of Training_  STIMULUS CRITERIA  Visual Form Alphanumeric_ Pictorial, Plane_ Line Construction, Plane_ Object, Solid_ Full visual environment  Visual Movement Still_ Limited Full_ Visual Spectrum Black and White Gray Scale Color Scale Exact Scale_ Audio Voice Sound Range Full Sound Range Full Sound Range Ambient Sounds_ Other Tactile Cues_ Internal Stimulus Motion Cues_ External Stimulus Motion Cues_ Exter

		Module 8, Exercise 2	!	TW-M8-3
Learning Category	Guide line	Media Selection Criteria	1	Media Pool
Learning Activity			1-1	
- ,		COMPLEXITY CRITERIA		
		Difficult Motor Acts		
		Smooth Motor Performance at end of Training		
		STIMULUS CRITERIA		
		Visual Form		
		Alphanumeric-		
		Pictorial, Plane  Line Construction, Plane		•
		Object, Solid-		
		Full visual environment		
		Visual Movement	į i	
	j	Still		
		Limited —	-	
		Full———————————————————————————————————		
	i	Visual Spectrum  Black and White		
		Gray Scale	+	
	1 1	Color		
		Scale		
		Exact Scale		
		Audio		
		Voice Sound Range		Media Selection and Rationale.
		Full Sound Range		
		Ambient Sounds	+	
	1 1	Other Tectile Cone		
		Tactile Ques Internal Stimulus Motion Ques	+	
		Externel Stimulus Motion Cues		
		Fine movement menipulative Acts		
		Broad Movement manipulative Acts	+	
	1 1.	TRAINING SETTING CRITERIA		
		Individual Traines or team training at a Fixed Location		
		Individual Trainers with simultaneous instruction or many locations		
		Individual Traines or team training with	7	
		Independent Instruction at any Location		
		Individual Traines on-the-job	+	
	ĺ	Small Group	+	
		Large Group at Single Location	+	
	1 1	Team Setting.	<del>  </del>	
			7	
	م ا	OMINISTRATIVE CRITERIA		
	į (	Site of Courseware Development		
		Local ———————	+	
		Central	<del>                                     </del>	
	1 1	Magnitude of Acquisition Cost		
		LowHigh	+	
	1 1	* ***	<del>                                     </del>	
			1	

- 3. Determine the appropriate instructional management plan for your learning objectives or group of objectives. This plan should include:
  - a. Mode of instruction
  - b. Course management
  - c. Student decisions
  - d. Completions and accumulations
  - e. Identification and control of marginal students
  - f. Program completion
  - g. Instructor decisions
  - h. Support personnel
  - i. Facilities and equipment
  - j. Consumablessand courseware 1/
- 4. Develop a System Master Plan for the instruction you are developing. Remember that you already prepared large portions of this plan when you were developing the instructional management plan. The System Master Plan should include:
  - a. Media requirements
  - b. Material requirements
  - c. Testing procedures
  - d. Instructor responsibilities
  - e. Time schedules
  - f. Placement and advancement
  - g. Physical layout and facilities requirements
  - h. Equipment requirements
  - i. Setting-specific problems
    - 1) Job Performance Aids
    - 2) Self-Teaching Exportable Packages
    - 3) Formal On-the-Job Training
    - 4) Installation Support Schools
    - 5) Resident Schools 🛮
- 5. What are three important considerations in selecting media?
- 6. List two low cost and two high cost delivery systems.

INTERSERVICE PROCEDURES FOR INSTRUCTIONAL SYSTEMS DEVELOPMENT



TECHNICAL WORKSHOP

MODULE NINE

#### WORKSHOP LEARNING OBJECTIVES

- Using reports by reviewers of existing materials, TLOs, LOs, and LSs, matching test items, selected media and management plan, select or reject the existing materials and state the reason for your decision. (See pages Tw-M9-3 through 5 for existing material.)
- 2. Given TLOS, LOs, LSs, matching test items, selected media and management plan, describe a search procedure for existing materials.
- 3. Using existing instructional materials, TLOs, LOs, LSs, matching test items, selected media and management plan, evaluate the materials, select any that match the TLOs, LOs, etc., and give the rationale for your decision.
- 4. Given the TLOs, LOs, LSs, matching tests, media selected, management plan, and selected existing materials:
  - a. Prepare a package to give the script writer, the artist, and/or any other support personnel.
  - Use existing materials to prepare an adjunct program to meet the TLO.
- 5. Given the TLOs, LOs, LSs, matching tests, media selected, management plan, selected existing materials and the adjunct program, prepare a brief instructor's manual (in outline form) for the materials in (1) above.

# WORKSHOP INSTRUCTIONAL MATERIALS

The readings for this module are Blocks III.3 and III.2 of the ISD Manuals. If there is any part that you do not understand, ask the Workshop Enabler for assistance.

#### **WORKSHOP EXERCISES**

- Given the following learning objectives and the delivery system, look at the review of the STEP lesson on the AN/PRC-77 and the data and determine if you will select or reject it. (NOTE: The TEC lesson on this is available in print and in slide/tape format if you wish to look at it in its entirety.)
  - a. Your learning objectives are:
    - 1) Preset two frequencies in the same band (upper and lower).
    - 2) Preset two frequencies, each in a <u>different</u> band (upper and lower).

b. Data from 30 students:

performance test	pass	fail
objective 1	30	0
objective 2	20	10

- c. You selected slide/tape as the delivery system.
- 2. Describe specifically how you would go about locating existing materials for your particular instruction.
- 3. Using the learning objectives you developed in Exercise 1, Module 5, evaluate existing materials and select any portions suitable for use as training materials.
- 4. a. Prepare the materials and instruction that you would give to the script writer, artists, etc. (NOTE: The Enabler will designate a portion of the learning objectives for this exercise.)
  - b. Use existing materials to prepare an adjunct program.
- 5. Prepare a brief instructor's manual (in outline form) for your instructional materials. 1
- 6. What factors should you consider when deciding whether to use "off-the-shelf" materials? 4/

# REVIEW SHEET FOR EXISTING INSTRUCTION

Title of Document: <u>Signal Subcourse. Radio Set</u>	t AN/PRC-77
Author: U. S. Army Signal School	
Volume and Number:	Date: n/d
Publisher: U. S. Army	
Any Other Identifying Info.: Army Correspondence	Official Document?:yes
Medium: Print	
Delivery System: print	
Developed by ISD Method?: Yesx	No
Job Analysis Data:	
Front Ind Analysis	
Job Analysis	
Do. within the pest 5 years? can't te	<u>u</u>
Any system changes? several doctrine change	ges
What were the sources?	
Can you generalize this situation to your s	ituation? <u>yes</u>
Is the data difficult to locate? No: inf	ormation given
Any other comments?	
Sclect Tasks	
Are these tasks based on the same criteria is?ves_	of tasks that your command

	on, skill levels, etc.? appears to be very closely related
Was ta	sk selection based on the same constraints? <u>yes</u>
Job Pe	rformance Measures
Can yo	u review all JPMs? Attach list.
What p	arts match the objectives?
Any ot	her comments?
· · · · · · · · · · · · · · · · · · ·	
DECISION:	Accept:
	Accept Partially:
	Reject:
	Reconsider at Block III.3:

# Exercise 1

TW-M9-5

# CONTENTS

	PAGE
INTRODUCTION	1
INFORMATION FOR UNIT COMMANDERS	1
INFORMATION FOR STUDENT	2
Lesson 1 Inspect, Clean and Assemble Radio Set AN/PRC-77	3
PERFORMANCE TEST	37
LESSON 2 Operational Check of Radio Set AN/PRC-77	38
PERFORMANCE TEST	72
LESSON 3 Presetting Frequencies on Radio Set AN/PRC-77	73
PERFORMANCE TEST	101
LESSOM VERIFICATION SHEET (OJT)	
SUBCOURSE CERTIFICATION LETTER	

SUBCOURSE CREDIT HOURS . . . . 5

INTERSERVICE PROCEDURES FOR INSTRUCTIONAL SYSTEMS DEVELOPMENT



MODULE TEN

#### WORKSHOP LEARNING OBJECTIVES

- 1. Using TLOs, LOs, LSs, entry tests, pretests, posttests, the instructional materials, and data from a group validation:
  - a. Make a revision plan including deletions, replacements, additions.

b. Rewrite any parts of the instruction.

- c. Write a description of any further formative evaluation required.
- 2. a. Using draft materials, do a one-on-one trail.
  - b. Use data from a one-on-one trial to revise draft materials.
  - c. Do a one-on-one trial of the revised draft materials.
- 3. Describe the validation process.

### WORKSHOP INSTRUCTIONAL MATERIALS

The reading for this module is Block III.5 in the ISD Manuals. If there is any part that you do not understand, ask the Workshop Enabler for assistance.

## WORKSHOP EXERCISES

- 1. Based on the following validation data, identify problem areas in the instruction. The lesson has been validated on a group of six students. The objectives are:
  - a. Make the transmissions required by the Net Control Station (NCS) to open a net.
  - b. Make the transmissions required by the subordinate stations to reply to the initial call.

The pre and posttest are the same and are attached (next page). The pre and posttest data are displayed on page TW-M10-3, foilowed by the entry test results and the within-course test results.

# Exercise 1

# PRETEST AND POSTTEST ITEMS:

- 1. List the machine functions which must precede all radio teletypewriter transmissions.
- 2. List the maximum number of characters, including spaces which may be typed on a line in radio teletypewriter operations.
- 3. List the end of line machine functions which must be used in radio teletypewriter operations.

NOTE: For problems 4 through 10, use the call signs in the CEOI Extract.

- 4. Assume you are the operator at the Net Control Station (NCS). List the first transmission necessary to establish communications with the substations in your net.
- 5. Now assume you are the operator at the first substation. List the reply to the initial call made by the NCS to establish communications. (The call received from the NCS was "clear.")
- 6. Now list the transmission the operator at the Net Control Station should make in reply to the call of the first substation. (The transmission received from the first substation was "clear.")
- 7. Now, suppose you are the NCS and the transmission received from the first substation in problem five was received garbled. List the transmission the operator at the NCS would send if the transmission received from the first substation was garbled.
- 8. Assume you are the NCS and have established communications with the substations. List the initial transmission the operator at the NCS should make to open the net.
- 9. You are the operator at the first substation. List the transmission to reply to the Net Control Station's initial transmission to open the net.
- 10. You are the NCS and all substations have answered your initial transmission to open the net. List the transmission the NCS would make to acknowledge the replies of the substations.

Exercise	1
----------	---

_	_			^	
U	υ	<b>L</b>	ſΕ	•	
r	n	_	_		

			Stu	ıdent		
I tem	1	2	3	4	5	6
1	+	-	-	-	-	-
2	+	-	-	-	-	+
3	+	-		-	-	-
4	-	-		-	-	-
5	•	-	-	-	-	•
6	-	-	-	••	-	-
7	-	-	-	-	-	•
8	-	-	. ·	•	-	-
9	-	-	•	-	-	-
10	-	-	-	-	-	-

# POSTTEST:

1	+	-	+	+	+	+
-			•	•	•	•
2	+	+	+	+	+	+
3	+	+	-	+	+	+
4	+	-	•	+	-	-
5	+	-	•	-	-	+
6	+	-	•	-	• -	+
7	+	-	-	-	-	-
8	+	-	-	-	-	-
9	+	-	-	-	-	-
10	-	-	-	-	_	-

# Exercise 1

## ENTRY TEST RESULTS ARE:

	1	2	3	4	5	6	
Α	+	+	+	+	+	+	(Entry test skill A)
В	+	+	+	+	+	+	(Entry test skill B)
С	+	+	+	+	+	+	(Entry test skill C)
D	+	+	+	+	+	+	(Entry test skill D)

The within-course data, shown by numbers corresponding to the posttest items, are as follows: (Most topics were covered more than once. This is a summary, not shown by student.)

# WITHIN-COURSE:

1. + + - - - - (The first time an equivalent of item 1 was presented.)
+ + + + + + + + (The second time an equivalent of item 1 was presented.)
2. + + + + + + + (The time an equivalent of item 1 was presented.)
+ + + + + + + + (The first time an equivalent of item 2 was presented.)
3. + + + - - - (The first time an equivalent of item 2 was presented.)
4. + + - - - etc.
+ + + - - - + + + + + - - 
8. + + + - - - 
9. + - - - - + + + + - - 
10. + + - - - 
10. + + - - - 
10. + + - - - -

Use the data to identify trouble areas by test item number. Note any special problems you see, such as in #1, #2, and #9. Assume that all the test items are appropriate and properly written. /

- 2. a. Using the instructional materials you prepared in Module 9, do an individual (one-on-one) trial on another workshop participant or other appropriate student. Display the data in a format such as the one suggested in Block III.5 (pages 304-307).
  - b. Analyze the data from the trial. Based on this data, what revisions are indicated.
  - c. Using the data gathered in the one-on-one evaluation, revise the instruction. Revising instruction based on certain data "patterns" is discussed on pages 332-336.
  - d. After the instruction has been revised, do a second one-on-one trial on another student. Display the data in a useful format.
- 3. Describe the validation process.

INTERSERVICE
PROCEDURES FOR
INSTRUCTIONAL
SYSTEMS
DEVELOPMENT



MODULE ELEVEN

## WORKSHOP LEARNING OBJECTIVES

- 1. Using instructional materials, tests, instructional management plan, and instructor's guide, identify or describe training and resources required to carry out the instruction by an individual who has been assigned as instructor.
- 2. Using the instructional materials, tests, instructional management plan, and instructor's guide, specify any required additional instructions to an assigned group of students.
- 3. Make comparisons between the role of an instructor in a selfpaced course and the role of an instructor in a platform
  instruction course. List the kinds of problems the instructors
  might have in each. State ways to minimize these problems.
- 4. State the likely effect on an instructional program if the instructor fails to accurately document any deviation from the instructional plan.
- 5. State the purpose of the instructional management plan and describe how the plan is used in IPISD.
- 6. Define hard and soft data.

#### WORKSHOP INSTRUCTIONAL MATERIALS

The readings for this module are Blocks IV.1 and IV.2 in the ISD Manuals. If there is any part that you do not understand, ask the Workshop Enabler for assistance.

## **WORKSHOP EXERCISES**

- 1. Assume that the student sitting next to you has been assigned to deliver the instruction you have developed. Describe everything he will need--Instructor's Manual, special training, supplementary instructions, etc. (Note: You may wish to interview him to see what training he has already had.)
- 2. Assume that you will present your instruction to this group of students, in this location, tomorrow morning. Describe any additional instructions you would prepare for students (e.g., when and where the class will meet and what the students should bring to class).

- 3. Compare the role of an instructor in a self-paced course with the role of an instructor in a platform instruction course. Indicate what types of problems each might encounter and how these problems may be minimized.
- 4. Describe what might happen if an instructor does not accurately document the operation of his course by noting any changes in the plan and describing any substitutions.
- 5. Who uses the instructional management plan and how is it used?
- 6. Define hard and soft data.

INTERSERVICE
PROCEDURES FOR
INSTRUCTIONAL
SYSTEMS
DEVELOPMENT



MODULE TWELVE

### WORKSHOP LEARNING OBJECTIVES

- 1. Using the products from all previous blocks, develop an internal evaluation plan.
- 2. Prepare an internal evaluation report based on data gathered during an internal evaluation.
- 3. Given appropriate products from previous blocks, develop an external evaluation plan.
- 4. Prepare an external evaluation report based on data gathered during an external evaluation.
- 5. Prepare a system revision plan based on a provided System Master Plan, INER, and EXER.
- 6. Give a written explanation of where the ISD process stops.
- 7. List at least five reasons which will indicate that a course needs to be revised.
- B. Describe how continuous revisions of a product, after an initial revision, effect reductions in time taken to complete a course.

#### WORKSHOP INSTRUCTIONAL MATERIALS

The readings for this module are Blocks V.1, V.2, and V.3 in the ISD Manuals. If there is any part that you do not understand, ask the Workshop Enabler for assistance.

### **WORKSHOP EXERCISES**

- 1. Develop an internal evaluation plan for the instruction developed in Module 9. Document any assumptions you made in preparing the plan. Your plan should include:
  - a. A progress evaluation plan
  - b. A process evaluation plan
  - c. A performance evaluation pian
  - d. A plan for collecting information from students and instructors
- 2. Tables a, b, and c are internal evaluation data obtained during the evaluation of an existing course. Based on these data and the following assumptions, prepare an internal evaluation report (INER) for the existing course. Your report should consist primarily of:

a. Your interpretation of the following data

b. Recommendations for revision

### Assumptions---

1. The course is administered on a self-paced basis. As soon as the student has completed a lesson or unit, he is given the posttest. If he passes, he goes to the next lesson; if he does not, he repeats the objectives on which he had a "no-go".

2. Posttest 1 refers to the first time the test was taken, posttest 2 to the second time (if required), and posttest 3 to the final time (if required). For example, in Table b, 75 students passed the Unit 1 posttest the first time it was administered. An additional 20 students passed it the second time, and 3 more passed it the third time.

 Any posttest can be taken only three times; however, any student who fails the test three times is allowed to stay in the course.

4. The objectives of Unit 2 do not depend on mastery of Unit 1. Also, the Unit 3 objectives do not depend on mastery of Units 1 or 2.

5. After going through the instruction and taking the posttests for all four lessons in a unit, a unit posttest is given covering all significant items in the unit.

6. Average time is based on all students who took the course.

7. The original plan was for each unit to require 20-30 hours for the typical student to complete.

 Students were not given advanced placement as a result of pretest scores.

9. The inscructional designers have no control over which students take the course; however, the entry behaviors of students have been relatively stable over time.

 Instructors reported they had to provide additional individual instruction to many students in Unit 2.

11 No remedial work is included in the program.

12. The only possible scores on the posttests are a "go" or a "no-go".

TABLE a: Project Schedule--

| Event No. | Event Name          | Activity                   | Estimated Completion | Actual<br>Completion | Note |
|-----------|---------------------|----------------------------|----------------------|----------------------|------|
| 001       | Begin Block<br>I.1  | Conduct Job<br>Analysis    | 1 May                | 2 May                | (1)  |
| 002       | Begin Block<br>I.2  | Select Tasks/<br>Functions | 15 June              | 12 July              | (2)  |
| 003       | Begin Block         | Construct JPMs             | 1 August             | 20 August            | (2)  |
| 006       | Begin Block<br>II.1 | Develop<br>Objectives      | 15 October           | 17 October           |      |
| 007       | Begin Block<br>II.2 | Develop Tests              | 1 November           | 1 November           |      |
| 800       | Begin Block<br>II.3 | Describe Entry<br>Behavior | 20 November          | 18 November          | (3)  |
| •         |                     |                            |                      |                      |      |
| 019       | Begin Block         | Revise System              | 1 March              |                      | (15) |

# Notes:

Pending approval from Command HQ; expected 15 April.
 Travel funds delayed.
 Preferred students not available; substituted members of another DOS who were awaiting shipment.

(15) Printing deadlines arranged from Command HQ.

TW_M12_4

TABLE b: Summary Test Data--

|                                      |              |        |          |          |          |          |        |          |          |          |          |        |          | TW-M     | 12-4     |          |  |
|--------------------------------------|--------------|--------|----------|----------|----------|----------|--------|----------|----------|----------|----------|--------|----------|----------|----------|----------|--|
| -                                    | -xcel.       | 52     | 25       | 50       | 11       | 8        |        | н        | 0        | 0        | -        |        | œ        | 9        | 2        | თ        |  |
| a le                                 | 200g         | 30     | 30       | 28       | 31       | 14       |        | 12       | <b>-</b> | 2        | 4        |        | 14       | 9        | 6        | 15       |  |
| Attitude Scale                       | Sat.         | 33     | 33       | 36       | 48       | 64       |        | 14       | 27       | 12       | 16       |        | 45       | 35       | 37       | 36       |  |
| Atti                                 | raır         | 12     | 12       | 13       | φ        | 7        |        | 44       | 40       | 53       | 51       |        | 24       | 31       | 8        | 27       |  |
| c                                    | roor         | 0      | 0        | ო        | 2        | 7        |        | 53       | 32       | 33       | 28       |        | 6        | 22       | 19       | 13       |  |
| Average<br>Time in                   | Hours        | 101.9  | 27.4     | 26.8     | 24.9     | 22.8     | 192.5  | 32.0     | 60.5     | 51.6     | 48.4     | 58.3   | 16.5     | 15.3     | 14.2     | 12.3     |  |
| Total<br>of 100)                     |              | 86     | 96       | 100      | ន្ទ      | 97       | 29     | 16       | 64       | 72       | 83       | 100    | 100      | 100      | 100      | 100      |  |
| 1 L                                  | 20           | ო      | 9        | t        | 15       | 8        | 47     | 22       | 33       | 27       | 31       | 1      | ı        | •        | Н        | 8        |  |
| Postuest Results<br>(No. Passing out | 2            | 50     | 35       | 10       | 8        | 29       | 17     | 50       | 53       | 40       | 38       | 7      | 4        | ı        | 9        | 4        |  |
| Pos Li                               |              | 75     | 55       | 90       | 20       | 9        | က      | 49       | 2        | Ŋ        | 14       | 93     | 96       | 100      | 93       | 94       |  |
| Average<br>Pretest<br>Score          | possible 50) | 9      |          |          |          |          | 4      |          |          |          |          | 41     |          |          |          |          |  |
| 10 I                                 | m            | 45     |          |          |          |          | 32     |          |          |          |          | 49     |          |          |          |          |  |
|                                      |              | UNIT 1 | Lesson 1 | Lesson 2 | Lesson 3 | Lesson 4 | UNIT 2 | Lesson 1 | Lesson 2 | Lesson 3 | Lesson 4 | UNIT 3 | Lesson 1 | Lesson 2 | Lesson 3 | Lesson 4 |  |

V.

₫ > **ቒ** ⊅

TABLE c: Student Performance Data:

|         | Entr<br>(Out o | y Test S<br>of possib | icore<br>1e 50) |        | test Sco<br>f possib |        |        | Go/No-Go | )   |
|---------|----------------|-----------------------|-----------------|--------|----------------------|--------|--------|----------|-----|
| Student | Unit 1         | Unit 2                | Unit 3          | Unit 1 | Unit 2               | Unit 3 | Unit 1 | Unit 2   |     |
| 01      | 45             | 33                    | 50              | 7      | 4                    | 41     | GO     | GO       | GO  |
| 02      | 50             | 43                    | 50              | 12     | 7                    | 49     | GO     | GO       | GO  |
| 03      | 46             | 31                    | 50              | 8      | 5                    | 40     | G0     | NO-GO    | GO  |
| 04      | 41             | 22                    | 45              | Q      | 0                    | 35     | NO-GO  | NO-G0    | GO  |
| 05      | 47             | 32                    | 49              | 9      | 2                    | 45     | GO     | NO-GO    | GO  |
| 06      | 40             | 25                    | 46              | 1      | 0                    | 36     | NO-GO  | NO-GO    | ငှာ |
| 07      | 46             | 35                    | 50              | 6      | 4                    | 39     | GO     | GO       | GO  |
| 08      | 44             | 37                    | 50              | 8      | 6                    | 41     | GO     | GO       | GO  |
| 09      | 49             | 41                    | 50              | 11     | 7                    | 49     | GO     | GO       | GO  |
| 10      | 45             | 31                    | 49              | 4      | 6                    | 44     | GO     | NO-GO    | GO  |
| . 11    | . 39           | 23                    | 46              | 0      | 0                    | 37     | GO     | NO-GO    | GO  |
| 12      | 45             | 29                    | 49              | 7      | 4                    | 42     | GO     | NO-GO    | GO  |
| 13      | 47             | 36                    | 50              | 3      | 3                    | 40     | GO     | GO       | GO  |
| 14      | 44             | 32                    | 49              | 4      | 2                    | 43     | GO     | NO-GO    | GO  |
| 15      | 50             | 42                    | 50              | 10     | 6                    | 48     | 20     | GO       | GO  |
| 16      | 49             | 40                    | 50              | 11     | 7                    | 49     | GO     | GO       | GO  |
| 17      | 46             | 29                    | 49              | 5      | 5                    | 29     | GO     | NO-GO    | G0  |
| 18      | 47             | 37                    | 50              | 6      | 4                    | 41     | GO     | GO       | G0  |
| 19      | 45             | 34                    | 49              | 5      | 4                    | 43     | GO     | GO       | GO  |
| 20      | 42             | 24                    | 47              | 1      | 0                    | 37     | GO     | NO-GO    | GO  |
| •       |                |                       |                 |        |                      |        |        |          |     |
| 100     | 43             | 35                    | 50              | 6      | 3                    | 44     | GO     | GO       | GO  |

- 3. DEVELOP AN EXTERNAL EVALUATION PLAN for the instruction developed in Module 9. Document any assumptions you make in preparing the plan. Your plan should include:
  - a. Data sources
  - b. What data are required
  - c. When external evaluation will take place
  - d. How the data will be gathered
- 4. Tables d g are external evaluation data obtained during external evaluation of the same course discussed in Exercise 2. Based on these data and any pertinent data from Exercises 1 and 2, PREPARE AN EXTERNAL EVALUATION REPORT (EXER) for the course. The report should consist primarily of
  - a. Your interpretation of the evaluation data
  - b. Recommendations for revision

TABLE d: Student Baseline Data--

Performance on JPMs for job incumbents who were trained under the "old" instructional program:

|                         | <u>R</u> e | spon        | ses | of Jo | b Inc | umben | ts Pas | ssing  | JPMs |     |        |        |
|-------------------------|------------|-------------|-----|-------|-------|-------|--------|--------|------|-----|--------|--------|
|                         |            | stru        |     | na?   |       | II    |        | ction  | al   |     | truct  |        |
| Student                 |            | Unit        |     | ۱ ۱۰  |       | 41    | Unit   |        | ·· - |     | nit #3 |        |
| Number                  | <u> </u>   | <u>m (1</u> |     | ) No  |       |       |        | ask) l |      |     |        | k) No. |
|                         |            |             | 3_  | 4,    | 30    | 31    | 32     | 33.    | 9/   | 98  | 99.    | 168    |
| 01                      | P          | P           | P   | F     | p     | P     | P      | ŗ      | p    | P   | P      | P      |
| 02                      | P          | P           | F   | P     | P     | F     | P      | F      | P    | P   | P      | P      |
| 03                      | F          | Þ           | P   | P     | P     | P     | P      | P      | F    | p   | P      | Р      |
| 04                      | P          | P           | F   | P     | P     | p     | P      | F      | P    | P   | P      | P      |
| 05                      | P          | P           | P   | P     | P     | P     | P      | P      | P    | P   | P      | P      |
| •                       |            |             |     |       |       |       |        |        |      |     |        |        |
| 150                     | P          | F           | P   | P     | P     | P     | F      | P      | P    | P   | P      | P      |
| % 'assing<br>JPM (Task) | 96         | 82          | 95  | 84    | 92    | 94    | 82     | 86     | 95   | 100 | 100    | 100    |

P = pass, F = fail

NOTE: Tasks 1 - 30 taught in unit one Tasks 31 - 97 taught in unit two Tasks 98 - 168 taught in unit three

TABLE e: Graduates' Evaluation --

40

Responses of graduates of "new" instructional program:

| Sti        | udent            | Unii<br>Tasi | t #1<br>k No. |      |     | Unit<br>Task | No. |     |     | hit #3 |      |
|------------|------------------|--------------|---------------|------|-----|--------------|-----|-----|-----|--------|------|
| Nur        | iber             | 1            | 2             | 3,., | .30 | 31           | 32  | .97 | 98  | 99     | .158 |
|            | 01               | +            | -             | +    |     | +            | -   | +   | +   | +      | +    |
|            | <b>J2</b>        | +            | +             | -    | +   | -            | +   | +   | +   | +      | +    |
| •          | 03               | ~            | +             | +    | +   | -            | +   | +   | +   | +      | +    |
|            | 04               | +            | +             | +    | +   | ÷            | +   | +   | +   | +      | +    |
|            | :<br>150         | +            | •             | +    | -   | +            | +   | _   | +   | +      | ÷    |
| g T<br>wit | Respondi<br>th + | ng<br>92     | 86            | 94   | 97  | 81           | 86  | 87  | 100 | 100    | 100  |

- + = Felt training adequately prepared me for the task
- = Fe:1t training did not adequately prepare me for the task

#### Consistent comments:

- 1. I knew most of the tasks in Unit 3 before I went through the instruction.
- 2. I had a very difficult time with Unit 2. This was the stock inventory system. And, now that I am on the job, we don't do those tasks anyway. They have a new computer inventory system, and I don't know anything about that.

## TABLE f: Supervisor's Evaluation --

#### Consistent comments:

- 1. They all do well on tasks 98 168, but that isn't uncommon. Our men have always done better on those tasks.
- 2. The new computer inventory system requires proficiency in a couple of dozen tasks that these trainees don't know the first thing about.
- 3. Most of the men are much stronger in tasks 1 30 than they used to be under the old system of training.

- 4. Some of these trainees talk about tasks that we just don't do anymore now that we use a computerized inventory system.
- 5. The men are strong in tasks 1 30 and 98 168, but their performance in tasks 31 97 is very spotty. Some tasks they perform reasonably well; others, not very well at all.

# TABLE g: Evaluation Team Report--

- 1. Overal!, trainees better prepared than trainees tested one year ago.
- 2. Trainees unable to perform tasks related to computer inventory system.
- 3. Trainees stronger on tasks 1 30 than trainees tested one year ago.
- 4. Trainees as strong on tasks 98 168 as trainees tested one year ago.
- 5. Trainees slightly weaker on tasks 31 97 than trainees tested one year ago.
- 5. Using the System Master Plan developed in Exercise 3 of Module 8 and the INER and EXER developed in this Module, prepare a revision plan for your course. Follow the revision plan format given on page 113 of Block V.3. Since, in this workshop, some of the data will not be available, you will have to make some assumptions. Document these assumptions.
- 6. If a course is to be revised, what reasons are there for revising it?
- 7. If a course has been revised twice and substantial time has been saved, what are the chances that further efforts will be successful in more time reductions? Explain?
- 8. Does the ISD process stop here? Explain. ✔

スカーノ、アートラーには変更して登場が発展されているとは登場を表示しては認識の意味を認識を認識を

| SECURITY CLASSIFICATION OF THIS PAGE (When Do                                 | 'e Entered)                      |                                                             |  |  |  |
|-------------------------------------------------------------------------------|----------------------------------|-------------------------------------------------------------|--|--|--|
| REPORT DOCUMENTATION                                                          |                                  | READ INSTRUCTIONS BEFORE COMPLETING FORM                    |  |  |  |
| 1. REPORT NUMBER                                                              |                                  |                                                             |  |  |  |
| N/A                                                                           | Z. COVT ACCESSION NO             | 3. RECIPIENT'S CATALOG NUMBER                               |  |  |  |
| 4. TITLE (and \$-btitle)                                                      |                                  | 5. TYPE OF REPORT & PERIOD CO/ERED                          |  |  |  |
| Interservice Procedures for                                                   | Final 25 Jun 73-                 |                                                             |  |  |  |
| Systems Development: Techn                                                    | 31 Dec 75                        |                                                             |  |  |  |
| Norkapob                                                                      |                                  | 6. PERFORMING ORG. REPORT NUMBER                            |  |  |  |
| 7. AUTHOR(a)                                                                  | ···                              | 8. CONTRACT OR GRANT NUMBER(*)                              |  |  |  |
| Robert K. Branson, Gail T.                                                    | Rayner,                          |                                                             |  |  |  |
| John P. Furman, and J. Lama                                                   | rr Cox                           | N61339-73-C-0150                                            |  |  |  |
| 9. PERFORMING ORGANIZATION NAME AND ADDRE                                     | 1                                | 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WOPK UNIT NUMBERS |  |  |  |
| Center for Educational Tech                                                   |                                  |                                                             |  |  |  |
| Suite 1A, Tully Gym<br>The Florida State Universit<br>Tallahassee, Fla. 32306 | Y                                |                                                             |  |  |  |
| II. CONTROLLING OFFICE NAME AND ADDRESS President                             |                                  | 12. REPORT DATE December 1975                               |  |  |  |
| US Army Combat Arms Trainin                                                   | g Board                          | 13. NUMBER OF PAGES                                         |  |  |  |
| ATTN ATTNG-TB-TA<br>14. MONITORING AGENCY NAME & ADDRESSII dillo              | rent from Controlling Office)    | 118 15. SECURITY CLASS. (of this report)                    |  |  |  |
|                                                                               |                                  |                                                             |  |  |  |
|                                                                               |                                  | UNCLASSIFIED                                                |  |  |  |
|                                                                               |                                  | 15a, DECLASSIFICATION/DOWNGRADING SCHEDULE N/A              |  |  |  |
| This decument has been apprite its distribution is unlimit                    |                                  | release and sale;                                           |  |  |  |
| 17. DISTRIB. TION STATEMENT (of the abstract entere                           | ed in Block 20, If different fro | n Report)                                                   |  |  |  |
|                                                                               |                                  |                                                             |  |  |  |
|                                                                               |                                  |                                                             |  |  |  |
|                                                                               |                                  |                                                             |  |  |  |
| 18. SUPPLEMENTARY OTES                                                        |                                  |                                                             |  |  |  |
| `.                                                                            |                                  |                                                             |  |  |  |
| •                                                                             |                                  |                                                             |  |  |  |
|                                                                               |                                  |                                                             |  |  |  |
| 19. KEY WORDS (Con'. iue on reverse side if necessary                         |                                  |                                                             |  |  |  |
| Validate Control                                                              |                                  | evaluation                                                  |  |  |  |
| Design Analyze                                                                |                                  | Objectives                                                  |  |  |  |
| Develop Cob analysis                                                          | Entry Beh                        | navior<br>nce Measures                                      |  |  |  |
| Implement Lask Analysis Tests                                                 |                                  | ice measures<br>Evaluation                                  |  |  |  |
| 20. ABSTRAC : Continue on reverse side if necessary                           |                                  | AT V WAS LIKED IN WALL                                      |  |  |  |
| ->LIW                                                                         |                                  |                                                             |  |  |  |
| This report contains workb                                                    |                                  |                                                             |  |  |  |
| Procedures for Instruction                                                    |                                  |                                                             |  |  |  |
| Level Workshop.                                                               |                                  |                                                             |  |  |  |

DD FORM 1473 LEDITION OF YOUGS IS OBSOLETE